

YOUR BATHROOM.
YOUR CREATIVITY.
YOUR LIFE.



THE PHILOSOPHY THAT GUIDES US COMES TO LIGHT IN EVERYTHING WE DO.

"EXPERIENCE WATER"

The HANSA brand encompasses the idea of designing water as well as fittings. An idea that hits home wherever there is water: across nations and borders and into the four corners of the earth. We are therefore striving to create the perfect unity of design and functionality. This is reflected in fittings that are as functional as they are fascinating thus making it both possible: To use and experience water.

ULTRA-HIGH QUALITY (OF LIFE)

HANSA supplies the best quality on the market: This is the commitment that we set ourselves – and the standard by which you measure us. We meet this standard with both passion and purpose: with products of exceptional quality that are long-lasting and reliable. And with services that support you and exceed your expectations. In this way, everything we do is focused on improving the quality that you value most: quality of life.

AS MODERN AS THEIR ASPIRATIONS

For us, being a modern brand means seeing the future as something that begins today. By thinking and acting in keeping with the times, we continuously develop new, innovative solutions. Our goal is to provide products time and again with a high practical and aesthetic value that always meet your needs better than before.





AWARD-WINNING PARTNERSHIP

A host of coveted awards prove how well we meet the highest of standards: In 2014, the readers of "markt intern", the business information service for German plumbing specialists, voted HANSA the "No. 1 specialist trade partner" for the 19th time in succession as part of the "performance report for sanitary fittings" that is awarded every two years. The high degree of trust placed in us by our partners is the driving force that makes us strong and will also secure the future success of the HANSA brand.

SIMPLE. PERFECTION.

Our products are an important part of your everyday life. For this reason, we go to great lengths to design them to be as user-friendly and straightforward as possible.

This is all the more significant, the more complex the tasks and solutions become. Ensuring maximum pleasure and minimum effort, combining exceptional utility and a simple concept: only then can we talk of perfection.

MINIMIZING THE ENVIRONMENTAL FOOTPRINT – MAXIMISING THE FEEL-GOOD FACTOR

We make sure that you can use and enjoy water every day at home with a good feeling – be it in the bath-room or in the kitchen. The latest technologies guarantee optimum drinking water hygiene and offer exceptional safety. Above all, however, we help you conserve water and energy. With environmentally-compatible products, we want to play our part in keeping the ecological foot-print as low as possible – and leaving only a positive impression.

WE TREASURE WHAT INSPIRES US.
INTRINSICALLY. **SUSTAINABLY.**
FOR MORE THAN 100 YEARS.

MORE THAN 100 YEARS OF SUCCESS

HANSA has been active in this field for more than 100 years and is one of the leading companies in the industry. Success over such a long period is no coincidence, but the result of commitment, experience and a strict policy of sustainable company development. A development that is now being systematically driven forward by the fusion of complementary expertise drawn from a strong group.



OUR DRIVING FORCE: INNOVATION

HANSA is one of the trendsetters in the industry. Modern materials, innovative technologies, progressive concepts for concealed and exposed products, new technical solutions that help to save water and energy: time and time again we have been the first to launch important innovations. HANSA holds numerous national and international patents. This is further proof of the sustainable force behind our company – for the past 100 years, today, and in the future.

RESPONSIBILITY AND RESPECT

HANSA only works with high-grade, durable materials, such as dezincification-resistant and corrosion-resistant brass MS 63, plastics with the German KTW certification for drinking water and the WATER SAFE Hitec functional core. All brass parts that come into contact with drinking water in our basin models do not have a nickel coating and those in our kitchen models have a particularly low lead content – to maintain existing drinking water quality.

SUSTAINABILITY AS A COMPANY PRINCIPLE

We have a special sense of responsibility for the precious resources with which we work on a daily basis. The basic principle of sustainability has always influenced our way of thinking and working, all our products and production processes. We do not focus on individual steps, but rather on cycles, and always have the entire life cycle of a product in mind. We place great importance on timeless design that does not slavishly follow the latest trends.

To reduce our energy consumption and to increase our energy efficiency as part of a continuous improvement process, we are introducing an energy management system in accordance with the DIN EN ISO 50001:2011 standard.

GREEN RESPONSIBILITY



The "Green Responsibility" label guarantees modern, ecologically sound HANSA technology, ensuring minimal usage of water and energy, and adherence to strict international guidelines.



HANSA MAKES WATER EXCEPTIONAL EXPERIENCE.

SOLUTIONS FOR THE BATHROOM OF THE FUTURE

Modern technologies are increasingly finding their way into bathrooms – and HANSA is contributing significantly to this trend. Our current and uniquely comprehensive generation of electronic products is the result of numerous synergies, and is changing more than just control technology and modes of operation. Innovative design and operating concepts completely redefine the term "fitting". Smart applications improve user-friendliness. Intelligent 360° solutions make it possible to use water throughout the bathroom in a completely contemporary manner: with maximum convenience, high flexibility, consistently sustainable.

WATER PERFORMANCE

Designing fittings that shape water, use it efficiently, and turn it into an experience: we do this by combining a variety of skills. Each HANSA fitting employs the latest technology, renowned design expertise and, last but not least, the incredible craftsmanship of our designers and engineers. For us, "unity of form and function" means that whatever is visible in front of the wall must be just as convincing as what is hidden inside the fitting or behind the wall. The resulting end products deliver outstanding functional and emotional added value within effective overall designs.

WE TAKE RESPONSIBILITY

One of our top priorities is to provide you with an all-round good feeling when interacting with your fitting and drinking water. This is why HANSA fittings feature special technical characteristics that guarantee the highest possible degree of safety and optimum comfort. The extensive HANSA**PROTEC** system and, for example, the WATER SAFE Hitec functional core maintain the highest water quality, while innovative laminar technology guarantees pure water enjoyment. At the same time, you can save energy – which you can now associate directly with conscious sustainable enjoyment.

INHERENTLY BETTER SOLUTIONS

What applies to the individual fitting, applies all the more to our complete range. We never see things in isolation, but always in context. This is why we offer you product systems that are logically structured, carefully coordinated and that can be combined to maximum effect. The solutions created using these systems always incorporate a wide range of expertise – ensuring that they fully meet your wishes and needs.

ALWAYS THE RIGHT CHOICE

To make it easier for interested parties and customers to gain an overview of our flexible and expanding product range, we have divided it into three clearly defined segments:


HANSA|EDITION, **HANSA|LIVING** and **HANSA|HOME**.

This structure ensures transparency and provides unbiased help. Rational arguments support the choice of the right products and ultimately also the purchasing decision.





OUR DESIGN
INSPIRATION IS FED
BY THE MOST
ABUNDANT SOURCE
IN THE WORLD:
WATER.



We work for people, not for prizes. The special quality, refined technology, and innovative designs of our fittings are made to delight and fascinate people every day.


Nevertheless, we consider it a major compliment when our fittings not only thrill our customers but also renowned professionals, international design experts, forums and committees.

Numerous design prizes tell us that our "experience water" philosophy is also the right one for the future and that our fittings are an impressive expression of what has inspired us from the beginning – the love of water.

There can be no stronger motivation to keep our ideas bubbling to the surface.



Airport, Frankfurt/Main



Vitaparc, Stuttgart



Lefay Resort & Spa,
Lago di Garda



Conrad Hotel, Hongkong


WE MAKE THE USE OF WATER
EASY AND SUSTAINABLE.
ALL OVER THE WORLD.




Shangri la edtsa, Manila



Celebrity Eclipse cruise ship



Wananavu Beach Resort, Fiji



Hilton Hotel, Sydney

Our trademark philosophy has sent ripples far and wide over the decades. That is not surprising: The HANSA brand is synonymous with values that are held in the same regard by everyone. This is why our products are popular the world over. HANSA fittings deliver water to people in public buildings, companies, hotels, leisure facilities and, not least, in countless domestic bathrooms. A wonderful reception. And as always, the best reception we could possibly imagine.

Just like water, we are also constantly on the move. This is why we are now already working on specific concepts for the future with a variety of partners. One example is the joint research project "FutureHotel" commissioned by the Fraunhofer Institute. Looking far into the future, developing visionary solutions and cooperating across industries ensures that we establish connections between the things we have to offer and the things that we want to pass on.


HERE, YOU WILL
FIND WHAT
YOU ARE
LOOKING FOR:
THE PERFECT
SOLUTION FOR
YOU.





HANSA|EDITION

VISIONARY SOLITARY FITTINGS



- Not only designing fittings but water: **HANSA|EDITION** implements this requirement at the highest level.
- Every single solitary fitting is fascinating thanks to a visionary design concept and impresses with uncompromisingly perfect functionality.
- Intelligent electronics guarantee a unique performance, while being current by keeping water consumption to a minimum.




HANSA|LIVING

VERSATILE BATHROOM WORLDS



- The strong character of the **HANSA|LIVING** range will satisfy the most discerning stylistic requirements.
- The extensive, highly diverse range can be combined with the concealed **HANSAMATRIX** installation system to realise innovative planning concepts in architecturally inspired environments.
- The consumption figures of the basin models across all series are a consistent 6 l/min – an important contribution to environmental protection.



HANSA|HOME

CLASSIC BATHROOM SOLUTIONS



- The modern functionality of the **HANSA|HOME** range is focused on the core range for standard bathrooms.
- The programme includes a wide selection of proven, universally applicable fitting ranges. Their clean design language is more than a passing trend.
- All **HANSA|HOME** ranges boast exemplary ecological credentials and offer water-saving technologies, solid quality craftsmanship backed by HANSA safety standards.



HANSA|EDITION Visionary, fascinating, emotional




HANSA|LIVING Modern, expressive, individual



HANSA|HOME Reliable, ecological, universal



TOUCHFREE/PUBLIC/SHOWER SYSTEMS AND SHOWERS/COMPLEMENTARY PRODUCTS
Touch-free, convenient, efficient, and safe complementary products for the whole bathroom



DUCTS

HANSA | EDITION

NEW

HANSAMURANO X

HANSACANYON

HANSAMURANO

16

20

22

24

HANSA | LIVING

NEW

HANSASIGNATUR

NEW

HANSALOFT

HANSADESIGNO

NEW

HANSALIGNA

NEW

HANSATELA

HANSARONDA

HANSABLUEBOX

26

32

36

40

42

46

50

56

HANSA | HOME

HANSAMIX

HANSAPRADO

HANSAFORM/HANSADISC

NEW

HANSATWIST

NEW

HANSAVANTIS

NEW

HANSAFIT

NEW

HANSAPINTO / HANSAPRIMO

HANSAPOLO / HANSAPICO

58

62

66

68

70

72

74

76

77

TOUCHFREE/PUBLIC

HANSACONCERTO/HANSALANO

HANSAMIX / HANSACOBRA

HANSAPUBLIC

HANSANOVA STYLE / HANSAPUBLIC

78

80

82

83

84

SHOWER SYSTEMS AND SHOWERS

NEW

HANSASMARTSHOWER/HANSAFORSENSES

Shower systems

HANSAPRISMA / HANSATEMPRA STYLE / HANSAVIVA

Overhead showers

HANSARAIN / HANSAVIVA

Hand showers

HANSAVIVA

HANSAMEDIJET FLEX

NEW

HANSAFORSENSES / HANSAFIT

HANSAPUREJET / HANSABASICJET

90

92

93

94

95

96

97

COMPLEMENTARY PRODUCTS

Exposed thermostats

HANSAPRISMA/HANSACARE

HANSAFORSENSES / HANSATEMPRA STYLE

NEW

HANSAFIT / HANSAUNITA

Rim-mounted /

Bath and rim-mounted fittings

accessories

HANSA MyGuide configurator

HANSASERVICEplus/product overview

Range

Product overview

HANSA – there for you, wherever you are.

HANSA – We offer more.

Cover flap

104

106

107

110

114

116

117

168

NEW

New Series

NEW

Complementary products




HANSAI

VISIONARY
FASCINATING
EMOTIONAL



EDITION



STRIKING SOLITAIRES. PERFECT BATHROOM WORLDS: **HANSA**|EDITION



"EXPERIENCE WATER" IN ITS PUREST FORM

The HANSA philosophy is directly expressed by the **HANSA**|EDITION solitaire fittings.

This is where water is given free rein to put on spectacular displays and to provide a sensory experience.

Implemented with the aim of providing a perfect combination of design and functionality, the **HANSA**|EDITION fittings captivate with their visionary design concepts, uncompromising design language, and seamless transitions in terms of detail and material. **HANSA**|EDITION is created for people who are passionate about design and who appreciate the special something that individual solutions can provide.



TOP PERFORMANCE

THANKS TO ADVANCED TECHNOLOGY

Advanced technology plays a significant role in the exceptional fittings of the **HANSA|EDITION**. However, it is deployed discreetly in the background so that all eyes are drawn to the water. Wherever electronic controls are used to implement unconventional operating concepts or to generate special effects, the technology behind it is hidden away in a compact unit. This ensures perfect functionality – while providing maximum creative freedom.



NICE AND SENSIBLE

Huge impact despite minimal use of resources:

HANSA|EDITION fittings prove that this is definitely possible. The unique effects are not generated by the vast flow of water but rather by the intelligent flow and distribution of the water.

In comparison to conventional fittings this ensures that up to 65% of water is saved. **HANSA|EDITION** is thus not just extraordinarily beautiful, but also extremely sensible.



FROM SOLITAIRE TO BATHROOM WORLD

HANSA enables you to create a bathroom design that fully incorporates the design concept and performance of the exposed solitaire fittings. The concealed **HANSAMATRIX** system is a design inspiration and a technical product rolled into one. With its highly aesthetic and architectural qualities, it is suited to the **HANSA|EDITION** fittings in every respect, while its wide variety of functions can form the basis of bespoke solutions. In the electronically controlled **HANSAMATRIX** variant, the system operates behind the wall using mains-powered intelligent electronics. This also allows the intuitive operating concepts of the basin solitaires to be applied to the fittings on the bath and shower.

NEW



NATURE, RECREATED INDOORS: HANSAMURANO X

Basic elements and high-tech, natural freedom and designed space: HANSAMURANO X combines contrasts effortlessly and without compromise. Just as architecture brings form to open water, water also brings life to the defined structures of architecture.

The **intelligent interplay** between different elements influences both the design philosophy and the usage concept. In this case, the apparently suspended surface of metal and glass acts as a central element and functions both as the operating level and water outlet. The fascination of the **communication with the fitting** is matched by the manner in which the water is presented: as a wide, transparent stream, soft and gentle as if from a fresh spring; clear and precise as if shaped by the designer.

Controlled by a concealed electronic unit, HANSAMURANO X offers intelligent comfort, pure experience, and the luxury of sheer simplicity of form.





You can regulate the water temperature without touching the fitting. Blue and red light signals provide unmistakable feedback.

The experience of light, colour and water: controlled by sensors integrated into the glass plate, HANSAMURANO X responds in two stages when it is approached.


To begin with, only the welcome light illuminates. If you bring your hands close to the fitting, the water flow starts, and the light illuminates the clear curtain of water to create an impressive display.



TAMING THE ELEMENTS: HANSACANYON

The unpretentiously monolithic body of the HANSACANYON braces itself against the power of this primordial element – smoothing its path in quite a spectacular way. The setting is illuminated **from within using coloured light**, which allows the stream to glow – according to the temperature of the water – in a cool blue, a gentle violet, or a warm red. **Electronic** sensor buttons provide the controls. The architecture-based, concealed HANSAMATRIX, system can be combined harmoniously, enabling you to enhance the whole bathroom with the high aesthetic and functional standard of HANSACANYON.





The right angle and the precise geometry of the body of the fitting provide an exciting contrast to the free-flowing water. This effect is reinforced by the mirror cladding on the inner sides of the outlet.

Water, light, energy, power, and design. These are the elements that make HANSACANYON an avant-garde part of your bathroom. The technology used is not merely an end in itself, but is the basis and inspiration behind the concept. All the **control technology** is hidden, ensuring that the cool chrome fitting is all that remains. A fantastic appearance.




CLOSELY ALIGNED WITH THE WATER: HANSAMURANO

The HANSAMURANO is clearly inspired by classical fountains of bygone eras. Ten years ago, its visionary interpretation of historic archetypes was revolutionary and the fascination remains undiminished since then. Often copied, HANSAMURANO is and remains **the original**. The water features still surprise, delight, and captivate us – more than ever especially when looking back at the originals.

The combination of HANSAMURANO with HANSAMATRIX is functionally logical and visually appealing. The flexible concealed system applies the high standard of the basin fitting to the fittings of all the bathroom areas. Inspired by history, but featuring **timeless design** and **modern technology** that is very much in the here and now, HANSAMURANO expresses bathroom culture as we know it today.





A **HANSAMURANO** bowl from the Cenedese special edition is a true work of art; hand-blown in Murano and certified to be a unique piece. From various exclusive designs with different glass bowls and metal bodies, you can choose the one that best fits your personal style – for example, Amethysta or Ambra (upper row), Spirale Bianco or Oro (lower row). You can purchase this unique line from our customising service **HANSASERVICEplus**.



THE ORIGINAL SINCE 2003
HANSAMURANO



HANSAI





MODERN
EXPRESSIVE
INDIVIDUAL

TOTALLY INDIVIDUAL. COMPLETELY CONVINCING: HANSA|LIVING



INTEGRATED BATHROOM DESIGN

The ranges in the **HANSA|LIVING** segment ranges are utterly convincing – which makes them perfect choice for realising complete modern bathroom designs. Characteristic designs, which are definitely a cut above the rest, will satisfy the most exacting aesthetic tastes. An extensive range of modular products ensures that design concepts are implemented consistently throughout the bathroom and enables the most unusual ideas to become a reality.



PERFECT APPEARANCE, PERFECT FUNCTIONALITY

The **HANSA|LIVING** ranges can be combined with the **HANSAMATRIX** product system to create high-quality concealed solutions that blend perfectly into architect-designed settings. The clean design is the visible expression of the simple system behind the wall: With the help of compact, easy-to-install modules featuring integrated and versatile functions, **HANSAMATRIX** ensures the seamless delivery of water to all areas of the bathroom.



SOLUTIONS WITH IQ

With three innovative electronically controlled models and the first hybrid fitting for basins, HANSA paves the way for a new generation of intelligent bathroom products. They combine the high aesthetic standard of the **HANSA|LIVING** ranges with the comprehensive convenience of touch-free fittings – a perfect combination that only HANSA can offer. The perfect partner for fully-integrated smart bathroom concepts is the electronically controlled variant of the **HANSAMATRIX** concealed system. An original design with a focus on sustainability, as well as intuitive and interactive operation: HANSA has redefined the concept of the fitting – for a contemporary way to enjoy sensual and sensible use of water in the bathroom.



MAKING SAVINGS WHERE IT MAKES SENSE

New perspectives: these go far beyond the visual impact. **HANSA|LIVING** stands for simple installation, maximum user-friendliness and, last but not least, excellent economy. All **HANSA|LIVING** ranges reduce the water flow rate of basin fittings to a frugal 6 l/min, while comfort remains limitless thanks to complete and optimised spray patterns. The even more efficient electronic variants also offer unparalleled convenience. So save where it really counts: with beautiful, intelligent **HANSA|LIVING** solutions that are really worth the investment.

THE X PHILOSOPHY: PURISM AT ITS BEST.



Straight lines, clear structures, maximum reduction of shapes, colours, and materials: the amazing look of the **X** bathroom. It positively exudes coolness, understatement, clarify, and intensity. Its architecture follows a strict logic – and **X/O** allows you to perfect this down to the very last detail.




THE O PHILOSOPHY: HARMONIOUSLY DEVELOPED PERFECTION.

You feel at home as soon as you enter. Sensual, welcoming, and personal: that's the **O** bathroom. It exudes warmth, harmony and relaxation, it is the much-quoted oasis where you can relax and recharge your batteries. The materials and shapes are easy on the eye and a delight to touch. The **O** philosophy allows you to enhance the entire bathroom with the perfection of soft-flowing lines and the gentle appearance, regardless of the design language of your chosen range of fittings.

The individual design concept can also be implemented down to the very last detail in the shower. Square or plate-sized overhead showers strongly influence the characteristic look.



Either square or rounded plates give the rim-mounted fittings a clear design direction.



Pure and clear or gently rounded: hand showers with different designs emphasise the fundamental design philosophy of the bathroom.

THE X/O MODULES: FREEDOM BY DESIGN

With **X** or **O** basin solutions, you can either emphasise the clear and strong, or the soft and rounded design aspects of a range of fittings to suit the overall design philosophy of the bathroom.



X



O

X On the following pages, this symbol indicates products and bathrooms that are designed based on the **X** philosophy.

O This symbol indicates products and bathrooms that have been designed based on the **O** philosophy.



X



O

The square **X** plates are design options that enable you to integrate basin fittings into predominantly cubic bathroom architecture.



X



Modern HANSA concealed systems form the basis on which the various design philosophies can be implemented in the entire bathroom. HANSAMATRIX enables clear, architectural solutions in **X** bathrooms.

HANSABLUEBOX with its round or square collars is a universal solution for **X** as well as for **O** bathrooms.

HANSASIGNATUR HYBRID
with combined manual and
touch-free operation.



THE AESTHETICS OF A NEW INTELLIGENCE: HANSASIGNATUR

HANSASIGNATUR is the champion of a new generation: Never before has a range of fittings been so **completely** focused on the expectations of progressive users. The dual structure of the basin fitting with a separate lever and spout is ergonomically inspired and expressed in a completely new "**orgametric**" **design language**, which combines organic and geometric forms. Also featuring a dual, **intuitive operating concept** and intelligent applications, HANSASIGNATUR changes our definition of the term "fitting" – and, more importantly, the way we use water: with maximum convenience, control, flexibility, and sustainability.







HANSA**SIGNATUR** with pull-out shower – for greater individual freedom of movement around the fitting.
The shower is a standard feature on the hybrid model, and is available as an option on the traditional lever mixer.



Functional shower for a significantly enhanced radius of action on the basin. The remote-controlled version, which is operated by a diverter lever on the shower, is the perfect complement to the HANSA**SIGNATUR HYBRID**.

DESIGNED FOR EVERYDAY LIFE. ANYTHING BUT EVERYDAY DESIGN.

Multi-functionality is part of the DNA of HANSA**SIGNATUR**. And the range offers the most convenient options and the greatest flexibility precisely where water is used in the most varied manner in the bathroom: at the basin. The absolute highlight is the innovative **hybrid model** with an integrated **pull-out shower**, which is also available as a single-lever mixer with conventional manual operation (with/without pull-out shower). Both versions offer **150° swivelling outlet**. Both basin fittings are also available in combination with matching **functional showers**.

FOLLOW YOUR INTUITION: INTO THE HANSASIGNATUR BATHROOM

When it comes to applying the intelligent HANSASIGNATUR concept from the basin to all areas of the bathroom, the fitting has its perfect partner in the latest generation of the HANSAMATRIX concealed system. Identical in terms of structure, logic and grid, the innovative system variant operates behind the wall, equipped for the first time with mains-powered intelligent electronics. The fittings on the bath and shower are **intuitive to use** and feature **visual feedback** to encourage environmentally responsible behaviour. In this way, your use of water becomes as sensual as it is sensible.



Radically pure, radically convenient: The concealed version of the HANSASIGNATUR basin fitting is electronically controlled and mains-powered. It is based on the, likewise electronically controlled, HANSAMATRIX concealed system, whose function units are also used for the bath and shower.



NEW

HANSALOFT with touch-free operation (image above)

Cubic clarity:
Wall-mounted HANSALOFT basin fitting based on HANSAMATRIX (image on right)



FREE THINKING. STRAIGHT TALKING: HANSALOFT

FOR BATHROOMS DESIGNED ALONG CLEAR, CUBIC LINES

For those who value space – in rooms as well as in thought – then the side-controlled HANSALOFT is the perfect fitting. Completely free of disturbing influences and distracting elements, it not only shapes the basin area, but the entire room.

It challenges and provokes – with a **purposeful sense of design** that is only rarely to be found. Flat surfaces with a mirror finish, varying angles, and perfect edges result in a **functional work of art** with an impressive presence that continuously offers new and surprising views from various perspectives. The **new touch-free variant** is the logical extension of this philosophy: here, intelligent technology becomes a factor that not only supports, but also further streamlines the expressive design.






HANSALOFT Side-operated



HANSALOFT top-operated



Harmoniously rounded:
Wall-mounted HANSALOFT basin
fitting with oval concealed collar



Organic forms dominate:
HANSALOFT top-operated

FREEDOM THROUGH INTEGRATION: HANSALOFT

FOR BATHROOMS WITH HARMONIOUS CURVED LINES

Integration rather than dominance: The slender top-operated HANSALOFT blends in harmoniously, but is still a real eye-catcher. The combination of the round basic shape with the "horizontal" and "vertical" angular elements is sophisticated, while the accentuated vertical elements are remarkably elegant. Obviously related to the side-controlled version through its **geometry and material properties**, the variant based on the **interpretation of rounded shapes** creates an impression of greater lightness and reserved elegance. The opposed alignment of the spout and lever axes provides a modern, highly **individual interpretation** of the **traditional control concept**.



TWO PERSONALITIES. ONE AMBITION. HANSADESIGNO

Modern bathrooms are individually created living spaces, in which designs and functions are increasingly integrated to create an elaborate **interior design**. The HANSADESIGNO meets these high requirements with its non-identical twin fittings. The extensive, **finely differentiated range** enables the implementation of **innovative plans** and precisely tailored solutions. However, individuality is the result not only of the product range, but also of the options offered by the **X/O** construction kit. Meticulous detail solutions convey the high standard of product aesthetics so typical of HANSA.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop





HANSA**DESIGNNO** concealed solution on the bath based on HANSAMATRIX



HANSA**DESIGNNO** four-hole solution at the narrow end of the bath



HANSA**DESIGNNO** side-operated




HANSA**DESIGNNO** top-operated

WORTH A GREAT DEAL
MORE THAN JUST A GLANCE:
HANSALIGNA



With its **unmistakeable, clear design**, HANSALIGNA give all bathrooms a modern look. The stunning appearance is matched by its **technical sophistication**: Tried-and-tested HANSA technology guarantees optimum functionality, helps conserve resources, and turns your enjoyment of HANSALIGNA into a lasting pleasure.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop





HANSALIGNA side-operated with
splash stream spout



NEW

HANSALIGNA
with touch-free
operation

With its concept of offering the sophisticated design and excellent HANSA quality at an **attractive price level**, HANSALIGNA impresses across the board. The varied HANSALIGNA **range** includes all the traditional solutions, along with elegant variants for basin and bath as well as more extravagant products such as the floor-standing bath fitting. When combined with HANSAMATRIX and the **X/O** elements, this provides greater scope for **individual bathroom design**.


The latest addition to the range is an innovative **electronically controlled variant** with touch-free operation.

CLEAR EXPRESSION OF A STRONG CHARACTER: HANSALIGNA



Free-standing HANSALIGNA a bath fitting for open-plan concepts (image on right)

HANSALIGNA shower and rim-mounted solutions based on HANSAMATRIX






HANSASTELA side-operated
with splash stream spout



NEW

HANSASTELA with touch-free operation

STYLE ON A GRAND SCALE: HANSASTELA





Although reinvented numerous times, it still remains true to itself. With a **new touch-free model**, HANSASTE^{LA} has now entered the future. Like all basin variants, the innovative electronic fitting also exhibits the **typical design features** of the range – above all, the wide, rectangular spout. With its contrasting design vocabulary, HANSASTE^{LA} has always **been particularly flexible** for combination with different washbasins.




Awarded with the efficiency label WELL
thanks to water-saving characteristics




EXTREMELY POPULAR. NEVER IN DOUBT. HANSASTECLA


Also in the shower and mounted on the rim, HANSASTECLA is extremely versatile. The pleasingly restrained design blends with numerous lines from our shower range on the one hand, while **extensive design possibilities** can be achieved through the interplay with the elements of the **X/O** system on the other. Plans employing fittings based on HANSAMATRIX will result in a consistent bathroom architecture that is characterised by clear cubic lines. Conversely, HANSABLUEBOX makes it possible to implement HANSASTECLA bathrooms that emphasize softer, rounded forms – entirely according to your personal style.



X philosophy: A clear, linear HANSASTECLA bath solution based on HANSAMATRIX



The **O** philosophy: Combined with round HANSABLUEBOX concealed collars and hand shower, the HANSASTECLA solution provides a soft and pleasant feel.




Compact exposed variant with symmetrical basic structure, hidden connections and an integrated diverter in the shower outflow



HANSASTELE in the shower
as a mixed **X/O** combination
with square HANSAMATRIX
concealed components and a round
overhead shower


X



HANSARONDA side-operated
with splash stream spout



Raised HANSARONDA base
solution for washbasins



HANSARONDA as an option
with a practical pull-out shower –
ideal for washing hair and
filling containers



ALL-ROUND PERFECTION: HANSARONDA


HANSARONDA has it all: The new, fresh design along with the carefully selected range. Thanks to the variety of HANSARONDA options and the elements from the **X/O** construction kit, the **unique design philosophy** can be implemented throughout the bathroom.




Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop




Floor-standing HANSARONDA bath fitting as a visual highlight in design-oriented bathrooms



X philosophy: The HANSARONDA solution for the bath based on HANSAMATRIX. All functions are combined in just a few compact components.



X philosophy: the HANSARONDA bath fitting combines with angular HANSABLUEBOX concealed collars and the HANSASTILO hand shower for outstanding looks and functionality



HANSARONDA exposed solution with elegant concealed collars

HIGHLY FLEXIBLE FROM THE GROUND UP: CONCEALED SYSTEMS FOR THE **HANSA**|LIVING RANGES

Strict logic, clear appearance, unbeatable versatility: With **HANSAMATRIX**, architecturally-driven concepts can easily be implemented.
(**HANSASTELA** series)



HANSAMATRIX is an innovative product system which allows the complete realisation of high-quality architecture-driven planning as a concealed solution.

The components of the **HANSAMATRIX** system can be combined in innumerable ways with the aid of a classic-sized grid. Several functions can be cleverly grouped in a new component, resulting in tranquil and elegant fittings – in all bathroom areas with an identical logic as regards basin, bathtub and shower, as well as with a matching overhead shower. The overall impression of the X bathroom is one of linearity, precision and clarity.

With a variety of designs and an extensive range of products, the **HANSA|LIVING** series provides you with all of the options to design your bathroom to your exact specifications. Forming the basis on which to implement your plans are the modern concealed systems **HANSAMATRIX** – with either a "traditional" or an electronically operated variant – and **HANSABLUEBOX**. Not only do they guarantee perfect installation, but also further enhance your creative freedom.



NEW

Intuitive use, sustainable comfort: the electronically controlled **HANSAMATRIX** variant sets new standards



In the electronically controlled **HANSAMATRIX** variant, the system operates behind the wall using modern control electronics. The intuitive operating principle using Tiptronik control keys is as simple as it is ingenious and guarantees exceptional convenience. It also uses visual feedback functions to support responsible use of resources. This **HANSAMATRIX** variant is ideal when combined with an electronically controlled or hybrid fitting on the basin.

Easy to install, universal, and modern: The traditional **HANSABLUEBOX** concealed system (**HANSALOFT** series)




HANSABLUEBOX is a new universal solution that functions like a "socket" for fittings. The ceramic diverter featuring the finest HANSA quality makes the system smooth, striking, and virtually indestructible. Equally stylish and functional are the screw-less round or angular concealed collars with standard adjustment options that allow for perfect alignment with the surrounding joint pattern. **HANSABLUEBOX** offers a high quality, professional, and flexible design through and through – making it simply better all round.

DESIGN x TECHNOLOGY: THE HANSAMATRIX SYSTEMS

The **HANSA|LIVING** range allows you to realise cutting-edge, architecture-driven plans for every aspect of your new bathroom. The overall impression is created by dividing surfaces into sections, and is captivated through the harmony of their well-balanced dimensions and elegant structure. The types of fittings which can be designed and achieved with **HANSAMATRIX** make a decisive contribution.

The measure of all things for **HANSAMATRIX** is 25 mm. Based on a 25-mm grid, wall surfaces can be finely structured, harmoniously designed and used to maximum effect. The clear logic gives planners the greatest possible creative freedom.

Two classic shapes are derived from the grid dimension for the design of the individual **HANSAMATRIX** components: a square and a precise rectangle that can be used in landscape or portrait format.




The uniform 25-mm grid dimension is the basis for all **HANSAMATRIX** plans, and provides you with the greatest possible creative scope while offering maximum safety.

Even the shapes of the **HANSAMATRIX**-components are based on the 25-mm grid.













The **electronically controlled variant** of **HANSAMATRIX** brings the system to a new level – and therefore into the future. Identical in terms of structure, logic, and grid, this system version operates behind the wall using mains-powered intelligent electronics.

The characteristic austere purist design of the electronically controlled **HANSAMATRIX** components is used across all ranges. This makes it possible to bring together compatible products from all **HANSA|LIVING** ranges in plans that benefit from significantly greater creative freedom.



For maximum flexibility, the system can also "rotate".

This means that each component can rotate in 90° steps. The result is now positioning possibilities for the individual product as well as additional design and functional options for you – for example, if you are left-handed.

HANSAMATRIX	HANSAMATRIX electronically controlled	ACCESSORIES
Installation level	<div></div> <div></div>	
Function level	<div></div> <div>Concealed installation unit for electronically controlled wall mixer</div> <div></div> <div></div> <div>Concealed installation unit for electronically controlled thermostat mixer, with 1 outflow or 2 outflows</div>	<div></div> <div>Wall outlet function unit for bath or shower</div> <div></div> <div>Pipe interrupter when bathtub is filled via pop-up waste</div>
Design level	<div></div> <div>Various lever mixer versions for basin, bath, or shower (depends on the series)</div> <div></div> <div>Various thermostat versions for bath or shower (irrespective of the series)</div> <div></div> <div>Thermostats with direct activation of one or two outflows</div>	<div></div> <div>Different wall-mounted outflow variants (irrespective of the series)</div> <div></div> <div>Cover collar (irrespective of the series)</div>

WITH HANSABLUEBOX, YOU ARE NO SYSTEM. YOU ARE INSTALLING SATI

HANSABLUEBOX is the completely re-developed standard system for concealed installations in the **HANSA|LIVING** and **HANSA|HOME** segments. Across all series, the system offers exemplary functions and features that affect and optimise the entire installation process: from the installation set to the function units and all the way to the trim kits. The fact that all components are perfectly matched offers you, the installer, maximum reassurance during the installation. HANSABLUEBOX is a complete package that gets everything right. HANSA all round. Better all round.



T JUST INSTALLING A CONCEALED SFACTION.

HIGH QUALITY ALL ROUND.

Every HANSAB**BLUEBOX** is packed with the finest technology – such as the ceramic **BLUESWITCH** diverter. For the customer, it means greater convenience as standard: pressure-independent functionality, clear position and lasting ease of operation.

Good for you: the diverter is identical in all products.



PROFESSIONAL ALL ROUND.

HANSAB**BLUEBOX** is 100 % designed for professionals – as can be seen from details such as the telescopic diverter connection. Connect the diverter on the trim kit to the function unit easily and reliably. Directly and without laborious cutting to length.



EXCLUSIVE WITH THE HANSAB**BLUEBOX**:

The standard **BLUETUNE** function allows for adjustment of the concealed collar by up to 3.5° in every direction during the final installation stage. Adapters are also available for reversed supply lines or outflows. Achieving perfection without compromise has never been easier.







RELIABLE
ECOLOGICAL
UNIVERSAL



EXEMPLARILY ENVIRONMENTAL SENSITIVITY. EXTREMELY IMPRESSIVE: HANSA|HOME

HYGIENE. SAFETY. A GOOD FEELING.

High-quality, long-lasting materials have a significant influence on the solid quality of the **HANSA|HOME** fittings. All water-bearing parts are made exclusively from the dezincification-resistant, and corrosion-resistant MS 63 brass alloy. All surfaces in contact with drinking water do not have a nickel coating. All **HANSA|HOME** basin fittings are also equipped with the WATER SAFE Hitec functional core. In compliance with current KTW (plastics and drinking water) regulations, it is made of tested plastics and further guarantees the protection of water quality.

For optimum hygiene. For your safety.



DEMONSTRABLY FRUGAL

All **HANSA|HOME** ranges are designed to ensure ecological compatibility, equipped with water-saving technologies and offer HANSA standards of safety.

The ranges with our classic cartridge are equipped with a special honeycombed stream former, which limits the flow rate from 12 l/min to 6 l/min. Despite halving the flow rate, the stream feels pleasantly strong. In the ranges with the HANSAECO cartridge, the maximum flow rate is limited to 8 l/min and can be further reduced by individual setting options to 6 l/min.

In recognition of their environmentally friendly design, the majority of the **HANSA|HOME** ranges have been awarded top ratings from the efficiency label WELL (Water Efficiency Label)

Hersteller: **Hansa Metallwerke AG**
Produktkategorie: **Waschtischarmatur**
Typ: **Einhebelarmatur**
Modell: **HansaPolo HansaVantis**
Registrierungsnummer: **WA10080-20100614**



Wasser Effizienz Kriterien

Durchfluss > 6,0 l/min ≤ 9,0 l/min	*
Durchfluss geregelt ≥ 4,0 l/min ≤ 6,0 l/min	**
Durchflussunabhängige Temperatureinstellung	*
Temperaturbegrenzung / Kaltwasserventil	**


Informationen Betrieb und Montage: www.well-online.eu.
A Label of EUnited Valves
European Valve Manufacturers Association



INCREASING "FUNCTIONALITY"

HANSA|HOME ranges are designed for functionality from the outset. Complementary products such as the functional shower or the Tiptronik-Flex button further extend the functional possibilities. It is installed as a mobile water source below the basin in compliance with standards and offers a range of 1.50 metres. The functional shower is extremely flexible – for example, for washing hair, or cleaning and filling large containers.

The Tiptronik-Flex button – a type of "remote control" for the fitting – can be positioned anywhere near the washbasin. It is pressed to activate the flow of pre-mixed water without the need to operate the lever. This makes it particularly convenient for children and older people.



GREATER FLEXIBILITY WITH CERTAINTY

HANSABLUEBOX is the ideal starting point for every **HANSA|HOME** concealed installation. The simple system, which functions as a type of socket, can be accommodated in the most diverse plans, giving you the freedom to turn your dreams into reality. Clever details and options enable visually and functionally perfect installation – irrespective of structural constraints. The use of high-quality materials throughout makes the technology hidden in the wall reliable, long-lasting, and virtually indestructible.



COMFORT THAT WAY YOU WANT IT

To ensure maximum flexibility when it comes to fulfilling your personal comfort requirements, some **HANSA|HOME** ranges offer a range of different fitting versions specifically for the basin. You can choose between traditional lever mixers, electronically controlled fittings, generous XL versions, nine side-operated models and variants with functional showers. Designed to your personal taste, perfectly compatible with the basin, and offering carefully coordinated functions: this is how to create perfect, individual comfort you can enjoy every day.

PROVEN. POPULAR. BETTER THAN EVER: HANSAMIX

HANSAMIX is one of the most successful and popular HANSA fittings ever. Since it was launched on the market in 1978, it has embodied the key HANSA values of sophisticated technology and superlative quality down to the finest detail. Now in its 4th generation, HANSAMIX is particularly convincing with its **extensive, and flexible product selection**. For the basin alone, there are three versions with different dimensions and functions. Contemporary: The HANSAMIX concept guarantees optimum **drinking water hygiene**, high levels of **convenience** and maximum **safety**.



HANSAMIX bathroom with the traditional lever mixer on the basin and modern concealed solutions in the shower and in the bath





COMPACT

With compact dimensions and a generously proportioned 127 mm projection, this variant is specially designed to meet the needs of commercial and public sector installations. But it also looks good in domestic settings, such as a guest bathroom.



CLASSIC

The projection of 141 mm results in generous hand freedom and excellent comfort. With the most extensive range within the series, this variant is ideal for any application.



UNIQUE

The large variant has a 157-mm projection, offering lots of extra room for hand-washing or when filling kettles or pans.

With its 95° swivelling spout, it is also suitable for special applications, for example, in the CARE sector.

A WELCOME SIGHT EVERYWHERE: HANSAMIX

The great success of HANSAMIX can also be attributed to the **diversity** of the range of fittings. The pleasing, discreet design integrates harmoniously into any setting and will match a wide variety of interior styles.

The well thought-out range covers all options for fitting out **domestic family and guest bathrooms**, but is equally suitable for **public facilities** and even the demanding **CARE sector**.



HANSAMIX a classic design
for the basin



Ideal for requirements of public
facilities: HANSAMIX
basin variant with long lever



HANSAMIX exposed single-lever mixers for showers and baths, with concealed eccentric connections



Thermostatic shower mixer with integrated water volume control (flow rate 25 l/min) based on HANSABBLUEBOX.



UNIVERSAL AND PROFESSIONAL


HANSAMIX concealed solutions for shower and bath are based on the universal HANSABBLUEBOX system:

- Round HANSABBLUEBOX concealed collars with a diameter of 170 mm create an elegant look.
- Bolted fittings guarantee secure fixing even on difficult substrates.
- HANSAMIX single-lever bath mixer based on HANSABBLUEBOX is also available with an integrated safety feature
- Perfectly matching form: HANSAVIVA hand shower

PARED BACK TO THE ESSENTIAL: HANSAPRADO

HANSAPRADO is a classic HANSA fitting – functional and with tried-and-tested technology. Its attractive, **high-quality design** fits in modern and in traditional bathroom environments. The **quality** meets the highest expectations: from the corrosion-resistant brass body to the high-quality chrome finish all the way to the HANSAECO control cartridge with its water saving function and the self-lubricating ceramic discs.





HANSAPRADO concealed fitting on the bathtub based on the HANSABLUEBOX concealed system. A perfect visual match: HANSABASICJET hand shower (image on far left)

HANSAPRADO as a classic exposed solution in the shower, also with HANSABASICJET hand shower (image on left)




A CLEAR LINEAR DESIGN STATEMENT: HANSAFORM

The **striking design concept** by HANSAFORM creates order and visual calm. Standing upright, HANSAFORM demonstrates a self-confidence that is fuelled by its **inner values**: material, finish, and technology are at the cutting edge. HANSAFORM offer various options for the stylish design of the bath and shower area. Ideal **combination partners** are the HANSABLUEBOX concealed system and the HANSAVIVA shower range.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop



HANSAFORM exposed bath fitting, combined with HANSAVIVA hand shower



CLASSIC AND MODERN. BEAUTIFULLY COMBINED: HANSADISC

For anyone who needs proof that **good design** never goes out of fashion: HANSADISC certainly delivers. The softly flowing lines look modern and completely contemporary. HANSADISC indulges the senses and enriches classically decorated bathrooms.

The **robust, long-lasting technology** is also quietly impressive on a functional level.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop



HANSADISC concealed solution in the shower, combined with flat HANSAPUREJET hand shower.



HANSADISC concealed variant on the bath with easy-to-use diverter on the separate bathtub spout and the HANSAPUREJET hand shower set (image below)



THE BEST WAY TO CHOOSE COMFORT: HANSATWIST



HANSATWIST is a master of metamorphosis and one of the most versatile ranges in the HANSA product portfolio. The basin fitting alone is available in **two sizes** and with **two different control concepts**. Each version is also available with **two different lever variants**.

This selection makes it particularly flexible: with HANSATWIST, you will always find the exact fitting to perfectly meet your personal **comfort requirements** while satisfying all structural conditions.

The balanced HANSATWIST product range for shower and bath allows you to design the whole bathroom according to individual preferences.



HANSATWIST

HANSATWIST XL

HANSATWIST
side-operated

HANSATWIST
with functional
shower





STRIKING ACCESSORY: HANSATWIST WITH LOOP LEVER

HANSATWIST with a lever loop is not only visually striking, but is also particularly pleasant to touch. Offering you a distinctive advantage when it comes to ergonomics and ease of use.

The slight forward tilt gives the body a dynamic feel and simultaneously facilitates the use of the draw-rod.

HANSATWIST with a lever loop provides long-lasting pleasure, regardless of which generation you belong to.



ATTRACTIVE EYE-CATCHER HANSATWIST WITH SOLID LEVER.

HANSATWIST with a high-quality solid lever is convenient to operate, with an elegant and discretely tasteful feel.

It is characterised by the finely balanced interplay between the lines, surfaces, and shapes. Since its design is so pleasingly restrained, HANSATWIST is the ideal combination partner: compatible with numerous interior designs, and the perfect fit for your style.

NEW

HANSATWIST side-operated, shown here with a loop lever: striking looks and practical advantages



HANSATWIST XL, shown here with a solid lever – 20 mm higher compared to the basic version, it provides extra space under the fitting along with improved hand freedom



HANSATWIST exposed solution in the shower, combined with the HANSAVIVA shower range. Round concealed connection collars pick up on the geometry of the lever. (image on left)

HANSATWIST concealed solution on the bath based on HANSABUEBOX, with rectangular concealed collars. (image below)



HANSAVANTIS with a slender pin lever (image below centre) and – as an alternative – an ergonomic flat solid lever (image below right)



NEW

HANSAVANTIS side-operated with curved raised spout



HANSAVANTIS XL:
20 mm higher, it offers noticeably
more hand freedom.



WONDERFUL AND UNIVERSAL: HANSAVANTIS

HANSAVANTIS exudes the type of exhilarating light-heartedness that fits perfectly into modern bathrooms. Different versions for the basin enable **individual comfort requirements** to be precisely fulfilled. High-quality HANSA technology always guarantees easy operation, simple care, and **low consumption** of water and energy.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop



HANSAVANTIS

HANSAVANTIS XL

HANSAVANTIS
side-operated

HANSAVANTIS
with functional
shower

FITS IN THE BATH. FITS WITH YOUR LIFE. HANSAFIT

HANSAFIT is a range of fittings whose versatility will surprise and delight.

The range includes clever solutions for the **entire cross-generational bathroom**: ergonomically optimised throughout, easy to use, and offering maximum safety.

In addition to a touch-free electronic fitting for the **basin**, there are three classic lever mixer designs with a separate **Tiptronik-Flex push button** for simple remote control and a **functional shower**.

All versions have a **special lever** in contrasting colours with a non-slip, insulating soft-touch surface finish. An **ECO** button restricts the water flow by 50 % to a frugal 6 l/min. If the full flow rate is required, simply press the button to disable the restriction.




Tiptronik-Flex button as "remote control" on the basin: if it is pressed, pre-mixed water flows at a comfortable temperature without the need to open the lever on the fitting.

As an additional safety feature, the fitting is automatically switched off after six seconds.



HANSAFIT touch-free: Battery-powered for simple installation or with mains connection



HANSAFIT lever mixer, combined with a functional shower: The mobile water source is installed below the basin and offers a range of 1.50 metres. For greater flexibility – for example, for washing hair, cleaning objects or filling large containers, as well as for intimate hygiene.





NEW

HANSAFIT bath thermostat shower system – for comfortable showers even in the bathtub



HANSAFIT solution for the shower. Also available as a version with a particularly strong rail – for maximum safety.



HANSAFIT exposed thermostat for the shower



HANSAFIT exposed thermostat for the bath

The HANSAFIT range offers perfect solutions for "vital living" in the whole bathroom. Carefully thought-out: The **thermostats** for bath and shower feature non-slip control elements in contrasting colours and a soft-touch surface finish that are exceptionally **easy to operate**. The comfortable temperature is quickly regulated using the fine adjustment scale. The integrated 38 °C hot water stop and **THERMO COOL** offer reliable protection against scalding. And the water temperature and volume can be limited individual via the lever with its innovative **ECO** button. Operating errors are therefore virtually eliminated. As a supplement to the thermostats, there are **shower systems** for bath and shower respectively.



CORNERS, EDGES AND PLENTY OF PASSION: HANSAPINTO

HANSAPINTO combines the essence of a good fitting: characteristic design and **reliable functionality**. The cubist form houses modern HANSA technology – such as the robust, classic cartridge that is integrated as standard. A particularly high degree of **safety** is guaranteed by the adjustable hot water stop and the adjustable WATER SAFE Hitec functional core.



VERSATILE. FIRST-CLASS: HANSAPRIMO

Optimum use of resources: HANSAPRIMO shows how it's done. Classic lines, but plenty of exciting contrast between plane surfaces and smooth, rounded forms. A raised **side-operated version** is available as a modern alternative for the basin.

Similarly modern: the **responsible interaction** by HANSAPRIMO with the resource of water.



HANSAPRIMO

HANSAPRIMO XL

NEW
HANSAPRIMO
Side-operated

HANSAPRIMO
with functional
shower



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop



FOREVER YOUNG: HANSAPOLO

Young, fresh, modern – this is HANSAPOLO. The design is characterised by the high-quality chrome solid metal lever: an object that is as pleasing to the eye as it is to the touch. In everyday use, you can feel the **proven HANSA quality** with the simple classic control cartridge and the low-dezincification brass body. "**Solidity**" is the principle that HANSAPOLO stands for: convincing and consistent.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop



SIMPLY A DELIGHT: HANSAPICO

HANSAPICO's lighthearted charm is captivating! The **well-balanced basic range** offers a suitable solution for all parts of the bathroom – from the basin to the bathtub to the shower. Like all the **HANSA|HOME** segment series, HANSAPICO is also based on **solid quality** in terms of material, technology and workmanship. Nevertheless, it is pleasantly inexpensive – and also makes sparing use of water.



Top 4-star rating from efficiency label WELL thanks to the pressure-compensated flow restrictor and hot water stop





TOUCH-FREE FITTINGS FOR PRIVATE BATHROOMS AND (SEMI) PUBLIC AREAS



The touch-free fittings by HANSA are the perfect choice for private bathrooms. Here, they offer all the advantages that also make them so successful in public facilities, in the semi-public, and public sector. Thanks to their intelligent design, they are safe, simple and hygienic to use, while at the same time minimising consumption of water and energy – wherever they are used. Touch-free fittings also remain clean for longer and need less cleaning generally. The extensive HANSA product portfolio includes attractive ranges and models to suit the most varied requirements and applications. Versions fitted with a standard 6V lithium battery, as well as a 230/12 V mains-adaptor variant are available.

NEW

Battery-powered
HANSACONCERTO cold-water
fitting: very easy to install and an
interesting alternative, for example,
for guest bathrooms.



TOUCH-FREE. WITH TOTAL COMFORT. **HANSACONCERTO**

The versatile range with the discrete, **universal design** includes a variety of models to meet very different needs.

HANSACONCERTO is available as a pre-tempered water fitting or can be converted into a cold-water fitting that is either battery-powered or connected to the mains power supply. One version of the flexible series models can also be implemented as a modern free-standing fitting on pedestal washbasins by increasing the height of the base – perfect for modern bathrooms. Thanks to its **range** of possible options and functions, **HANSACONCERTO** is convincing everywhere.



Two **HANSACONCERTO** models with a "classic" design – available for mains operation and for battery operation



Free-standing **HANSACONCERTO** variant for washbowls – available with an optional 14 cm high raised base



HANSACONCERTO wall fitting with an easily swivelling spout



HANSALANO basin fitting with side-controlled mixing lever for precise adjustment of the desired water temperature.
HANSALANO is powered by a 6 volt battery or a mains adapter.

STYLISH. TOUCH-FREE. HANSALANO

The minimalist HANSALANO is always a stylish and user-friendly solution wherever it is used. It loves to show off in public, but also looks excellent in private rooms. It fulfils **high aesthetic as well as functional requirements in equal measure**, is efficient and its elegant appearance will enhanced every setting. Convincing!



THE CLASSICS AMONG THE HANSA ELECTRONIC FITTINGS

They combine the seemingly impossible: an appealing **design** of exceptional **quality** that is also easy to clean, **convenient to operate** and is capable of withstanding the **toughest use**. These rugged HANSA electronic fittings are at home in public facilities, but naturally have also proved in private applications, for example, in guest bathrooms or WCs.



HANSAMIX E: The electronic variant in the extensive **HANSAMIX** range



HANSACOBRA: An electronically controlled classic with a characteristic design and simple operation

HANSAPUBLIC E:
Minimalist in design, offering many combinations and with all the technical extras



THE ARCHITECTS' FAVOURITES: HANSANOVA STYLE AND HANSAPUBLIC

Doing without hot water does not mean that you also have to limit your aesthetic requirements. HANSANOVA provides compelling evidence of this: With its clear lines, the **cold-water outlet** is one of the truly great classics in the HANSA range.

A new control element with a delicate lever coherently integrates function with form on the HANSANOVA STYLE. Various **colours** and an **optional thermostat** add to the already broad application range. HANSANOVA STYLE can be installed almost without any space restrictions and goes with a variety of styles.




Equally consistent in terms of design and function as the cold-water outlet **HANSANOVA STYLE**, the **mix water fitting HANSAPUBLIC** is most suited to the modern architecture of public spaces – although it also fits perfectly in private bathrooms with a minimalist design.

Thanks to its absolutely timeless design, **HANSAPUBLIC** can easily be combined with other ranges.




HANSAPUBLIC – available in two lengths (235 – 300 mm/ 160 – 225 mm) and with different diameters (19 mm/26 mm)




HANSANOVA STYLE as a pillar tap (large image on left) and as a wall-mounted outlet (image above) for public as well as private rooms




SHOWER SYSTEMS AND SHOWERS




LAMINAR Classic




LAMINAR Active




LAMINAR Massage



LAMINAR Soft



LAMINAR Cascade



LAMINAR Rain



HAVING A SHOWER WITH HANSA: LOTS OF OPTIONS. UNIQUE PLEASURE.

Enjoy with all of your senses and make the most of it: HANSA makes this possible particularly when you have a shower. The variety of modern HANSA shower systems and shower heads is attractive, impressive and provides you with **maximum safety** and **utmost comfort** thanks to the HANSAPROTEC system. HANSA only works with high-quality materials such as KTW-certified plastics. The new hand showers are fitted with EASY CLEAN technology. This means, for example, that the jet base of HANSAMEDIJET FLEX showers can be removed and can even be cleaned in the dishwasher – ensuring **optimum hygiene** and a longer service life. The way to relax into luxury with a clear conscience is shown by the new shower system HANSAFORSENSES. It is as exciting as it is sensible, the epitome of indulgence combined with high-level intelligence.

The innovative HANSA **laminar technology** guarantees a pure showering experience. Pure water without any added air flows through the enclosed system. This ensures that there is no swirling, no unpleasant noises, and that the formation of particulate materials is kept to a minimum. You can enjoy the best **showering experience** without a worry, while at the same time **saving energy**.

A great benefit for you and the environment – an absolute pleasure!

The HANSAPROTEC label guarantees hygienic showering comfort.





EVERYDAY SHOWER LUXURY: HANSAS^{SMART}SHOWER



With a connector, HANSAS^{SMART}SHOWER can be connected to a HANSACUBE shower thermostat or to any available fitting via flexible hoses.

Thanks to its many **intelligent functions** and a futuristic looking design, HANSAS^{SMART}SHOWER has the ultimate **pamper potential**. The flat panel with its magnificently refined front plate made of mirrored or anthracite-coloured glass is not just a beautiful design. All of its functions – controlling the body, hand and overhead shower as well as changing between the various shower heads and water stream settings – are integrated here. There are endless ways to vary your daily luxury in this shower at just **the touch of a button**.



A splash stream spout is integrated in the HANSAS^{SMART}SHOWER overhead shower.



SENSUAL AND SENSIBLE: HANSAFORSENSES

NEW

HANSAFORSENSES stands for showering pleasure with an all-round good feeling. This applies to the **spa shower system** and to the shower and bath thermostats that complete the range. Equipped with the Tiptronik push button, 38°C safety stop, as well as the **THERMO COOL** function, the thermostats offer both high **comfort** and optimum **safety**.



Shower thermostat mixer



Bath thermostat mixer



Hand shower, Ø 105 mm, with two types of laminar water jet and anti-limescale technology (also available individually)

HANSAFORSENSES spa shower system – available in white and elegant black.

The unique Tiptronik button uses colour signals to indicate the perfect length of a shower and simultaneously controls the flow volume.

CAN BE CONNECTED ANYWHERE: HANSA SHOWER SYSTEMS AND HANS

With HANSA shower systems, you can always make the right connection thanks to the variety of different products, designs, and installation options. HANSA shower systems are available as units that are directly connected to the fitting, can be connected effortlessly with any existing exposed or concealed fittings or can be connected directly to the wall connection elbow – giving you **maximum freedom during the planning and design process**.



Product unit:
The **HANSAPRISMA** shower thermostat is an integral part of the **HANSAPRISMA** shower system – an integrated solution for design purists. Also available for **HANSATEMPRA STYLE**.



Wall-mounted:
The **HANSAVIVA** shower system can be integrated flexibly. In this case, it is directly connected to the wall connection elbow as a space-saving solution.

A OVERHEAD SHOWERS



HANSARAIN

Whether at home, in the gym, at the spa in a hotel or in a daily spa: the warm, soft water streams from the **HANSARAIN** act like a **gentle massage**. **Anti-limescale technology** provides lasting protection against limescale building up at the 180 fine spray holes.



HANSAVIVA

The new **HANSAVIVA** overhead shower with **full metal housing** is particularly flat yet extremely **robust and stylish**. Available in a square or round design as well as different sizes.



LONG LIVE COMFORT!

HANSAVIVA

From shower system to shower hose, the HANSAVIVA range offers a wide choice of **easy-to-combine products** that make showering a particularly refreshing and pleasant experience.

The shower range is not only aesthetically pleasing, but also offers a wide range of functions, excellent **price/performance ratio** and typical HANSA quality.

An integrated flow limiter **cuts water consumption by 50%**.



Fully equipped:
HANSAVIVA – shown here, for
example, with chrome soap dish



HANSAVIVA shower head with ergonomically shaped handle, **THERMO COOL** function and special twist guard hose cone with integrated twist guard.



LAMINAR Active



LAMINAR Classic



LAMINAR Rain

VARIJET technology – for a full spray
pattern in all kinds of sprays

EVERYTHING UNDER CONTROL: WITH HANSAMEDIJET FLEX



HANSAMEDIJET FLEX makes showering a pleasure **for all generations**. The exceptional hand shower has an ergonomically shaped handle that rotates about **360°** for particularly easy handling.

Laminar technology makes showering pleasantly **quiet** and ensures a **clear, soft stream** that provides gentle relaxation. All-round safety: **THERMO COOL** prevents the shower housing becoming too hot.

The HANSAMEDIJET shower head base is removable to enable easy cleaning – for optimum hygiene and a longer shower service life.



HANSAMEDIJET



HANSAMEDIJET FLEX with removable shower head base and pioneering control concept



NEW

THESE SHOWERS HAVE THEIR OWN HEAD:



HANSAFORSENSES

The elegant HANSAFORSENSES hand shower has a diameter of 105 mm and up to two refreshing water stream settings. **Laminar technology** ensures a worry-free showering experience; **anti-limescale technology** simplifies the cleaning and care processes.



HANSAFIT

The shower head of the HANSAFIT hand shower comes with an integrated **EcoFlow function**, which controls the flow of water without impairing the shower experience.

THERMO COOL ensures the housing does not become too hot – for the highest possible level of safety. **Anti-limescale technology** facilitates cleaning of the spray holes. The HANSAFIT hand shower can be perfectly combined with the HANSAFIT shower rail sets.





HANSAPUREJET

With its unusually flat and practical design, HANSAPUREJET creates a feeling of elegant weightlessness. The sculpted handle is very comfortable to hold, the **full chrome housing** looks elegant and will continue to do so for many years.



HANSABASICJET

The **triple-spray** HANSABASICJET adjusts to meet your needs: the massage spray revitalises, the needle spray invigorates, and the soft spray pampers you at the end of a particularly hard day.





COMPLEMENTARY PRODUCTS



COMPLEMENTARY
COMPATIBLE
ENRICHING






EXPOSED THERMOSTAT






Thermostats as key safety factors in bathrooms and technically superior products have always played a leading role at HANSA. Time and again, we have set standards in this area: with innovative technology that makes safety more comfortable than ever before. With a selection of models that makes a wide range of solutions possible. And last but not least, with a design sensibility that turns the thermostat into an eye-catcher.

UNCOMPROMISING SAFETY. UNLIMITED CONVENIENCE.



COOL HOUSING. MORE ENJOYMENT.

The infra-red camera shows that a special design for the flow of hot water inside the thermostat ensures that the outside of the metal casing hardly heats up. You can therefore touch the HANSA thermostats equipped with **THERMO COOL** at any time without having to worry. Even if very warm water is flowing, there is no risk of burns. Sophisticated screwed concealed collars on the connections provide additional isolation – and look extremely elegant.



COMFORT AND SAFETY

A HANSA thermostat always keeps the water at a pleasant temperature: A pre-set safety valve at 38°C provides reliable scalding protection.

You can rely on the high-performance cartridge to maintain the set temperature and to adjust temperature fluctuations in the blink of an eye, irrespective of flow rate. That's because you should feel nothing other than at ease under the shower.

HANSA THERMOSTATS

MAXIMUM HYGIENE

Important for applications in public spaces: HANSA exposed thermostats are suitable for thermal disinfection (at least 3 minutes at a minimum water temperature of 70°C at the opened spout) – a measure to prevent the formation of legionella.



Without thermal disinfection



With thermal disinfection



SMALL BUTTON, BIG EFFECT

The "safe and comfortable" principle is implemented right through to the operation of our thermostats. The diverter is integrated in the handle and is easy to actuate via an ergonomically shaped push button. On the bath thermostat, you can switch from the bathtub spout to the hand shower. On the shower thermostats, the button provides for sensible flow restriction that helps to make thermostats even more efficient.

PROVIDING AN ALL-ROUND GOOD FEELING: HANSAPRISMA




HANSAPRISMA offers all the advantages of the HANSA thermostats – and at a **price-performance ratio** that sets benchmarks. The elegant design with hidden eccentric connections as standard reflects the high functional quality.

With its complete package, the HANSAPRISMA has the power to please and persuade.




HANSAPRISMA bath and shower thermostat, each in an ideal combination with the HANSAVIVA shower range


The infra-red camera illustrates that, compared to a conventional thermostat in this price segment, heat development on the housing of the HANSAPRISMA thermostat is considerably reduced – thanks to **THERMO COOL** and the short flow of hot water.



Conventional thermostat



HANSAPRISMA



LEAVING NOTHING TO CHANCE: HANSACARE



The HANSACARE exposed thermostat with hidden connections and a new connection technique, features a special flow control knob, temperature limiter, and temperature selector knob.

User-friendly and absolutely safe:

The pre-set maximum temperature cannot be overridden. HANSACARE is suitable for simple **thermal disinfection** in accordance with the DVGW W 551 standard without handle fitting.



SENSUAL AND SENSIBLE: HANSAFORSENSES

HANSAFORSENSES stands for showering pleasure with an all-round good feeling.



Bath thermostat

Equipped with the Tiptronik push button, 38°C safety stop, as well as the **THERMO COOL** function, the thermostats offer both high **comfort** and optimum **safety**.

HANSATEMPRA STYLE

The characteristic cross section and smart operating concept provided by HANSATEMPRA STYLE enriches modern bathrooms.



The spray regulator sits flush in the flat, cubic bathtub spout.



HANSAFIT

NEW

HANSAFIT always the best choice! The modern, user-friendly thermostats for bathtubs and showers.



NEW

The HANSAFIT thermostats boast non-slip control elements in contrasting colours and have a soft touch surface finish making them safe to operate for every generation.

HANSAUNITA

For everyone wishing to optimise safety, efficiency and physical appearance.



HANSAUNITA for showers (image on left) and baths (image above)





RIM-MOUNTED AND ACCESSORIES



Matching accessories and integrated technology not only complement the overall impression of your bathroom in a stylish manner. These details are also crucial for functionality, comfort and suitability for everyday use of a bathroom. Reason enough for us to accept nothing but the highest standards for the quality especially in this area: namely our own.

LONG LIVE CREATIVE FREEDOM! HANSA RIM AND WALL-MOUNTED FITTINGS.

Why not simply position the bathtub in the middle of the room? No problem with the HANSA rim-mounted solutions. They are attractive, practical and available in a number of different formats: as a compact or individual solution, in three-hole or four-hole versions, with different spouts, a thermostat, or a single-lever mixer.


The HANSACOMPACT wall-mounted concealed body is a **complete system** in a metal frame. Concealed behind the tiles, it can be individually adapted to any bath or tile height, thus making it a **highly flexible option**. A single-lever mixer version is also available.

Image below: HANSALIGNA

Image on bottom right: HANSASTECLA

HANSARONDA four-hole solution with curved, raised spout, installed at the narrow end of the bath.





The two-hole fitting is a concentrated solution. It doesn't take up much space, while providing all necessary elements.



Washing hair, showering, rinsing out, filling large containers: The pillar spout also functions as a hand shower.

Beautiful design: The four-hole HANSA**DESIGNO** rim-mounted fitting with a lever mixer



PRACTICALITY CAN BE BEAUTIFUL: THE HANSA ROLL BOX.

You can wave goodbye to the troublesome "hose spaghetti".

The HANSA roll box unit is doubly **practical**: Firstly, you do not have to maintain a constant pull on the hose as it features fixture points at specific intervals.

Secondly, the hose rewind is equally **practical**:


A short tug is enough to return the hose to its housing. The best bit: The roll box does not just come as a practical **part of the rim-mounted systems**, but is also available as a **separate product** that can be combined with any range of fittings.



The slimline baton hand shower **HANSASTILO** works particularly well with **HANSADESIGNO** or **HANSASTELA**. The HANSA roll box is a suitably elegant solution that hides the technology from view.



The comfort hand shower **HANSAVIVA** works perfectly with the rim-mounted system from the **HANSARONDA** series. The revolvable shower holding fixture in the HANSA roll box provides additional room for movement.



The HANSA roll box unit with its automatic hose rewind function gives you all the space you require. Smooth and easy to operate, it offers the highest levels of convenience. The space-saving construction ensures that it can even be integrated if you have limited space.

The HANSALIGNA range of fittings, the particularly light HANSAPUREJET hand shower and the HANSA roll box provide a harmonious and practical product combination.

CLICK YOUR WAY TO YOUR DREAM HANSA BATHROOM.

Every decision as to how your new or renovated bathroom should look will have a lasting effect. Which makes it all the more important to inform yourself thoroughly and to plan carefully in advance. The HANSAMyGuide on-line product configurator allows you to search for matching HANSA fittings for your dream bathroom from the comfort of your own home. You decide the scope of your planning, which requirements must be taken into account and which style you prefer. On this basis, the HANSAMyGuide will guide you step by step in just a few minutes to the individual product combination for your dream bathroom. An advisory function supports you in reaching the correct decision and suggests suitable solutions.

In the end, you receive a detailed product list that you can use as a planning aid and that you can present to your sanitation specialist.

www.hansa.de/hansamyguide


Produktbild	Beschreibung	Artikelnummer	Anzahl
	HANSALOFT Fertigmontiertes Waschtisch-Einhand-Wandpatronen, DN 15 für Wandmontage	verchromt 57572105	1
	HANSAMATIX Unterputz-Einhandkürzel, DN 15 (G1/2) Aluarm nach vorne	44000000	1

Produkt	Anzahl	Anmerkungen
HANSALOFT	1	
HANSAMATIX	1	





Scan the QR code to access HANSAMyGuide directly, and start right away!



DESIGN YOUR OWN RANGE WITH US: HANSA**SERVICE***plus*



Put your stamp on your bathroom: with individual designs. Corporate identity may be the talk of the town, but it has yet to arrive in the bathroom. Design your HANSA fittings to suit your business and your personality. Whatever your specification, be it names or other materials, with HANSA**SERVICE***plus*, you can put your stamp on your Hansa fittings. Impressive!



Show your true colours: with individual surfaces. Bathrooms are an expression of style and taste. And the fittings do not always speak the same language as the person. HANSA**SERVICE***plus* is the ideal translator – design your bathroom in your colours. Choose unusual surfaces for your fittings. Fly your flag. Show your true colours. And surprise your guests ...

HANSA|EDITION

Visionary, fascinating, emotional

NEW

HANSACANYON	118
HANSAMURANO X	118
HANSAMURANO	118

HANSA|LIVING

Modern, expressive, individual

NEW

HANSASIGNATUR	119
HANSALOFT	120
HANSADesigno	123
HANSALIGNA	126
HANSASTECLA	128
HANSARONDA	131

HANSA|HOME

Reliable, functional, durable

HANSAMIX	135
HANSAPRADO	136
HANSAFORM +	136
HANSADISC	137
HANSATWIST	137
HANSAVANTIS	139
HANSAPINTO	140
HANSAPRIMO	141
HANSAPOLO	142
HANSAPICO	143

PROGRAM ADDITIONS

Exposed thermostats	144
HANSA shower systems	146
Shower series	147
Shower range series independent	150
Accessories	152

PUBLIC / ELECTRONIC

NEW

HANSAFIT	153
PUBLIC	154
ELECTRONIC	155
HANSAMATRIX installation system	158
HANSABLUEBOX concealed system	160
HANSAVARIO concealed system / other concealed modules	160
Rim-mounted systems	162
Contents of HANSA fitting ranges	166
HANSA – There for you, wherever you are.	168
HANSA – There's more to it.	Cover

HANSA CANYON



Washbasin



HANSA CANYON
electronically operated
mixer for basin, DN 15
0761 2201 chrome
mains supply, incl. power
supply and connection cable,
with drain filter, flexible hoses
projection: 100 mm



HANSA CANYON XS
electronically operated
mixer for basin, DN 15
0760 2201 chrome
mains supply, incl. power
supply and connection cable,
with drain filter, flexible hoses
projection: 100 mm

HANSAMURANO X



Washbasin



HANSAMURANO X
electronically operated
mixer for basin, DN 15
mains supply
5605 2200
flexible hoses, incl. power
supply and connection cable
projection: 85 mm

HANSAMURANO



Washbasin



HANSAMURANO
one-hole single-lever basin
mixer, DN 15
5609 2101 78 clear glass
5609 2101 79 chrome,
satined glass⁺
flexible hoses
projection: 164 mm



HANSAMURANO
one-hole single-lever basin
mixer, DN 15
5608 2101 78 chrome,
glass clear
5608 2101 79 chrome,
satined glass⁺
without pop-up waste
projection: 164 mm



HANSAMURANO XS
single-lever bath and bidet
mixer, DN 15
5606 3201 78 chrome,
glass clear
5606 3201 79 chrome,
satined glass⁺
projection: 147 mm

⁺ available until 30.06.2016



HANSAMURANO
EDITION CENEDESE
one-hole single-lever basin
mixer, DN 15

5611 2201
surface finish chrome
5611 2201 59
surface finish platinum-tone
5611 2201 95
surface finish gold-tone

without glass bowl,
compatible with manufacturers
bowl 5612 xxxx, glass colour
and fitting surface can be
combined individually



HANSAMURANO
EDITION CENEDESE
5612 0200 glass "Ametista"
5612 0300 glass "Ambra"
5612 0400 glass "Oro"
5612 0500 glass "Spirale
Bianca"

without fitting body,
compatible with manufacturers
blow 5611 xxxx, glass colour
and fitting surface can be
combined in all combinations



HANSAMURANO
EDITION CENEDESE
5612 0200 glass "Ametista"
for 5611 2201



HANSAMURANO
EDITION CENEDESE
5612 0300 glass "Ambra"
for 5611 2201



HANSAMURANO
EDITION CENEDESE
5612 0400 glass "Oro"
for 5611 2201



HANSAMURANO
EDITION CENEDESE
5612 0500 glass "Spirale
Bianca" for 5611 2201

HANSASIGNATUR

Washbasin



HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5501 2201 chrome
pop-up waste
projection: 168 mm



HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5502 2201 chrome
pop-up waste, hand shower
projection: 168 mm



HANSASIGNATUR
one-hole single-lever basin
mixer, DN 15
5505 2281 chrome
push-pop-up waste,
extractable hand spray
projection: 168 mm



HANSASIGNATUR
one-hole single-lever
hybrid basin mixer, DN 15
battery-operated
5510 2281 chrome
push-pop-up waste,
extractable hand spray
projection: 168 mm



HANSASIGNATUR
one-hole single-lever
hybrid basin mixer, DN 15
battery-operated
5511 2201 chrome
push-pop-up waste, with
remotely operated function
handshower
projection: 168 mm



HANSASIGNATUR
trim kit
concealed electronic mixer,
DN 15 (G1/2)
mains supply
4491 2010 chrome
with thermostatic temperature
mixing device, sensory
operation (infrared), incl.
power supply and connection
cable
projection: 195 mm

Shower / HANSAMATRIX




HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSAMATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

HANSALOFT

Washbasin



HANSALOFT one-hole single-lever basin mixer, DN 15
5755 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 146 mm

HANSALOFT one-hole single-lever basin mixer, DN 15
5752 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 146 mm

HANSALOFT one-hole single-lever basin mixer, DN 15
5769 2103 chrome
for flat countertop washbasins,
without pop-up waste,
connection using copper pipes
projection: 151 mm

HANSALOFT electronic basin mixer, DN 15
mains supply
5748 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 143 mm

HANSALOFT electronic basin mixer, DN 15
battery-operated
5749 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 143 mm

HANSALOFT one-hole single-lever basin mixer, DN 15
5754 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 114 mm



HANSALOFT one-hole single-lever basin mixer, DN 15
5753 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 114 mm

HANSALOFT one-hole single-lever basin mixer, DN 15
5756 2103 chrome
for flat countertop washbasins,
without pop-up waste,
connection using copper pipes
projection: 114 mm

HANSALOFT trim kit wall-mounted single-lever basin mixer, DN 15
5757 2103 chrome
projection: 197 mm

HANSALOFT trim kit wall-mounted single-lever basin mixer, DN 15
5777 2103 chrome
projection: 193 mm

HANSALOFT three-hole basin mixer, DN 15
5768 2103 chrome
incl. push-pop-up waste
projection: 141 mm

HANSALOFT one-hole single-lever mixer, DN 15
5758 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 141 mm

HANSALOFT one-hole single-lever mixer, DN 15
5766 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 98 mm

Bidet

Bath/Shower



HANSALOFT single-lever bath mixer, DN 15 G1/2
5770 2103 chrome
projection: 162 mm

HANSASTILO hand shower
5439 0100 chrome

HANSALOFT single-lever bath mixer, DN 15 G1/2
5776 2073 chrome
ground-standing
projection: 197 mm

HANSABLUEBOX function unit with trim kit for HANSALOFT single-lever bath mixer*
8760 9003 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter




HANSABLUEBOX function unit with trim kit for HANSALOFT single-lever bath mixer*
8772 9003 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

HANSABLUEBOX function unit with trim kit for HANSALOFT single-lever bath mixer with vacuum breaker*
8760 3003 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter

HANSABLUEBOX function unit with trim kit for HANSALOFT single-lever bath mixer with vacuum breaker*
8772 3003 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Bath/Shower HANSABLUEBOX

Bathtub



HANSALOFT bathtub spout, DN 15**
5765 2100 chrome
also compatible with
HANSAMATRIX
projection: 197 mm

HANSALOFT trim kit single-lever mixer for all 4-hole installation units*
5775 2083 chrome
suitable for installation unit
5302/5304/5308, angled
rosette
projection: 185 mm

HANSALOFT trim kit single-lever mixer for all 4-hole installation units*
5775 2073 chrome
suitable for installation unit
5302/5304/5308
projection: 185 mm

HANSALOFT trim kit single-lever mixer for all 3-hole installation units*
5779 9083 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette

HANSALOFT trim kit single-lever mixer for all 3-hole installation units*
5779 9073 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly

** round and cubic rosette in scope of delivery

All flexible hose G 3/8 are DVGW W270 approved.

* plus concealed body, see corresponding chapter, from page 158



HANSAMATRIX
trim kit installation set 10
single-lever mixer, DN 15*
4487 4100 chrome
suitable for HANSALOFT, with
shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 12
thermostatic mixer,
DN 15 (G1/2)*
4487 4120 chrome
suitable for HANSALOFT, with
shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 13
single-lever mixer, DN 15*
4487 4130 chrome
suitable for HANSALOFT,
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSALOFT
single-lever shower mixer,
DN 15 (G 1/2)
5771 0173 chrome



HANSA
solid-metal wall bar
wall bar 600 mm
4440 0100 chrome



HANSA
wall bar set 1100 mm
4441 0190 chrome
HANSADESIGNO hand
shower, Silverjet® shower hose
1600 mm, chrome optic



HANSA
solid-metal wall bar
wall bar 1100 mm
4441 0100 chrome

Shower HANSABLUEBOX



HANSABLUEBOX
function unit with trim kit
for HANSALOFT single-
lever shower mixer*
8762 9003 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
without diverter



HANSABLUEBOX
function unit with trim kit
for HANSALOFT single-
lever shower mixer*
8773 9003 chrome
rosette without screws,
function unit without diverter,
round rosette, Ø 170 mm

Shower HANSAMATRIX



HANSAMATRIX
trim kit installation set 03
single-lever mixer, DN 15*
4487 4030 chrome
suitable for HANSALOFT, with
wall-bar set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 04
single-lever mixer, DN 15*
4487 4040 chrome
suitable for HANSALOFT, with
shower set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 01
single-lever mixer, DN 15*
4487 4010 chrome
suitable for HANSALOFT,
with solid-metal shower bar
1100 mm



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSASIGNATUR,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15

*Planned availability
from March 2016



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSAMATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm




HANSAMATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

Accessories



HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSA
trim kit
0228 9172 chrome



HANSA
trim kit
0628 9105 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve



HANSA
trim kit
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX





HANSA
trim kit
Pipe interrupter
4482 0000 chrome



HANSA
wall-mounted shower
bracket
4444 0100 chrome



HANSA
wall-mounted shower
bracket
4444 0173 chrome



HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5103 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 166 mm


HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5149 2173 chrome
without pop-up waste,
connection using copper pipes
projection: 166 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5171 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 125 mm

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5172 2173 chrome
without pop-up waste,
connection using copper pipes
projection: 125 mm

HANSA|LIVING
X - Plate
6637 0000 chrome

HANSADESIGNO
one-hole single-lever basin mixer, DN 15
5169 2173 chrome
for washbowls, without pop-
up waste, connection using
copper pipes
projection: 150 mm



HANSA|LIVING
X - Plate
6636 0000 chrome



HANSADESIGNO
basin pillar valve, DN 15
5135 2172 chrome
flexible hose
projection: 100 mm




HANSADESIGNO-E
electronic basin mixer, DN 15
mains supply
5179 2200 chrome
sensory operation (infrared),
incl. power supply and
connection cable, pull pop-up
waste, flexible hoses
projection: 110 mm



HANSADESIGNO-E
electronic basin mixer, DN 15
battery-operated
5179 2210 chrome
sensory operation (infrared),
pull pop-up waste, flexible
hoses
projection: 110 mm



HANSADESIGNO
trim kit
wall-mounted single-lever basin mixer, DN 15*
5109 2173 chrome
projection: 200 mm



HANSADESIGNO
trim kit
wall-mounted basin mixer, DN 15*
5106 2173 chrome
projection: 200 mm




HANSADESIGNO
three-hole basin mixer, DN 15
5105 2173 chrome
pop-up waste (metal)
projection: 166 mm

Bidet



HANSADESIGNO
one-hole single-lever mixer, DN 15
5173 3273 chrome
for bidet, pop-up waste
(metal), connection with
flexible pressure hoses
projection: 100 mm



HANSA|LIVING
X - Plate
6637 0000 chrome

Bath/Shower



HANSADESIGNO
single-lever bath mixer, DN 15 G1/2
5185 2173 chrome
projection: 184 mm



HANSADESIGNO
hand shower, DN 15
5117 0200 chrome



HANSASTILO
hand shower
5439 0100 chrome



HANSADESIGNO
single-lever bath mixer, DN 15 G1/2
5327 2073 chrome
ground-standing
projection: 200 mm

Bath/Shower HANSABLUEBOX



HANSABLUEBOX
function unit with trim kit for HANSADESIGNO single-lever bath mixer*
8111 9573 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit for HANSADESIGNO single-lever bath mixer*
8111 9583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit for HANSADESIGNO single-lever bath mixer with vacuum breaker*
8111 3573 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit for HANSADESIGNO single-lever bath mixer with vacuum breaker*
8111 3583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Bathtub



HANSADESIGNO
bathtub spout, DN 15
5116 2170 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSADESIGNO
trim kit single-lever mixer
for all 4-hole installation
units*
5312 2093 chrome
angled rosette
projection: 184 mm



HANSADESIGNO
trim kit single-lever mixer
for all 4-hole installation
units*
5312 2073 chrome
projection: 184 mm



HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9093 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette



HANSADESIGNO
trim kit single-lever mixer
for all 3-hole installation
units*
5325 9073 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly



HANSAMATRIX
trim kit installation set 10
single-lever mixer, DN 15*
4487 0100 chrome
suitable for HANSADESIGNO,
with shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 12
thermostatic mixer,
DN 15 (G1/2)*
4487 0120 chrome
suitable for HANSADESIGNO,
with shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 13
single-lever mixer, DN 15*
4487 0130 chrome
suitable for HANSADESIGNO,
with shower set, for distant
positioned bathtub spout
(HANSAFILL)

Shower



HANSADESIGNO
single-lever shower mixer,
DN 15 (G 1/2)
5186 0173 chrome



HANSA
solid-metal wall bar
wall bar 600 mm
4440 0100 chrome



HANSA
wall bar set 1100 mm
4441 0190 chrome
HANSADESIGNO hand
shower, Silverjet® shower hose
1600 mm, chrome optic



HANSA
solid-metal wall bar
wall bar 1100 mm
4441 0100 chrome

Shower HANSABUEBOX




HANSABUEBOX
function unit with trim kit
for HANSADESIGNO single-
lever shower mixer*
8110 9573 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
without diverter



HANSABUEBOX
function unit with trim kit
for HANSADESIGNO single-
lever shower mixer*
8110 9583 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

Shower HANSAMATRIX



HANSAMATRIX
trim kit installation set 03
single-lever mixer, DN 15*
4487 0030 chrome
suitable for HANSADESIGNO,
with wall-bar set, with
HANSARAIN overhead shower,
DN 15




HANSAMATRIX
trim kit installation set 04
single-lever mixer, DN 15*
4487 0040 chrome
suitable for HANSADESIGNO,
with shower set, with
HANSARAIN overhead shower,
DN 15



HANSAMATRIX
trim kit installation set 01
single-lever mixer, DN 15*
4487 0010 chrome
suitable for HANSADESIGNO,
with solid-metal shower bar
1100 mm




HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

*Planned availability
from March 2016



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSAMATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

Accessories



HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSA
trim kit
0228 9172 chrome



HANSA
trim kit
0628 9105 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve




HANSA
trim kit
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX



HANSA
trim kit
Pipe interrupter
4482 0000 chrome



HANSA
wall-mounted shower
bracket
4444 0100 chrome




HANSA
wall-mounted shower
bracket
4444 0173 chrome



HANSALIGNA
one-hole single-lever basin mixer, DN 15
5530 2203 chrome
spout: swivel, pop-up waste (metal), connection with flexible pressure hoses
projection: 116 mm



HANSALIGNA
one-hole single-lever basin mixer, DN 15
5535 2203 chrome
spout: swivel, without pop-up waste, connection with flexible pressure hoses
projection: 116 mm



HANSALIVING
X - Plate
6636 0000 chrome




HANSALIGNA
one-hole single-lever basin mixer, DN 15
0609 2203 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 108 mm



HANSALIGNA
one-hole single-lever basin mixer, DN 15
0608 2203 chrome
without pop-up waste, connection with flexible pressure hoses
projection: 108 mm



HANSALIGNA
one-hole single-lever basin mixer XS, DN 15
0607 2203 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 94 mm



HANSALIVING
X - Plate
6637 0000 chrome



HANSALIGNA
one-hole single-lever basin mixer, DN 15
0603 2203 chrome
for washbowls, without pop-up waste, connection with flexible pressure hoses
projection: 150 mm



HANSALIGNA
electronic basin mixer, DN 15
mains supply
0614 2201 chrome
sensory operation (infrared), incl. power supply and connection cable, push-pop-up waste
projection: 110 mm



HANSALIGNA
electronic basin mixer, DN 15
battery-operated
0615 2211 chrome
sensory operation (infrared), push-pop-up waste
projection: 110 mm



HANSALIGNA
trim kit wall-mounted single-lever basin mixer, DN 15*
4489 2103 chrome
projection: 190 mm



HANSALIGNA
trim kit wall-mounted single-lever basin mixer, DN 15*
0640 2103 chrome
projection: 185 mm



HANSALIGNA
trim kit wall-mounted basin mixer, DN 15*
0642 2103 chrome
projection: 186 mm


Bidet



HANSALIGNA
three-hole basin mixer, DN 15*
0645 2103 chrome
pop-up waste (metal)
projection: 108 mm



HANSALIGNA
one-hole single-lever mixer, DN 15
0606 3203 chrome
for bidet, pop-up waste (metal), connection with flexible pressure hoses
projection: 100 mm



HANSALIVING
X - Plate
6637 0000 chrome

Bath/Shower



HANSALIGNA
single-lever bath mixer, DN 15 (G 1/2)
for wall-mounting
0674 2103 chrome
projection: 152 mm



HANSAPUREJET Set
for bath mixers
0401 0210 chrome
HANSAPUREJET Mono, Silverjet® shower hose 1250 mm, chrome optic



HANSALIGNA
single-lever bath mixer, DN 15 G1/2
0646 2083 chrome
ground-standing
projection: 200 mm

Bath/Shower HANSABLUEBOX



HANSABLUEBOX
function unit with trim kit HANSALIGNA single-lever bath mixer*
8385 9513 chrome
rosette without screws, squared rosette, 150 x 150 mm, function unit with BLUESWITCH diverter

Bath/Shower



HANSABLUEBOX
function unit with trim kit HANSALIGNA single-lever bath mixer*
8385 9503 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit HANSALIGNA single-lever bath mixer with vacuum breaker*
8385 3513 chrome
rosette without screws, squared rosette, 150 x 150 mm, function unit with BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit HANSALIGNA single-lever bath mixer with vacuum breaker*
8385 3503 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter

Bath/Shower



HANSALIGNA
bathtub spout, DN 15 (G 1/2)**
0682 2102 chrome
also compatible with HANSAMATRIX
projection: 180 mm



HANSALIGNA
trim kit single-lever mixer for all 4-hole installation units*
0644 2093 chrome
angled rosette
projection: 180 mm



HANSALIGNA
trim kit single-lever mixer for all 4-hole installation units*
0644 2083 chrome
projection: 180 mm



HANSALIGNA
trim kit single-lever mixer for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly, angled rosette

** round and cubic rosette in scope of delivery

All flexible hose G 3/8 are DVGW W270 approved.

* plus concealed body, see corresponding chapter, from page 158

Bath/Shower HANSAMATRIX




HANSALIGNA
trim kit single-lever mixer
for all 3-hole installation
units*
0643 9083 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly



HANSAMATRIX
trim kit installation set 10
single-lever mixer, DN 15*
4487 1100 chrome
suitable for HANSALIGNA,
with shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 12
thermostatic mixer,
DN 15 (G1/2)*
4487 1120 chrome
suitable for HANSALIGNA,
with shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 13
single-lever mixer, DN 15*
4487 1130 chrome
suitable for HANSALIGNA,
with shower set, for distant
positioned bathtub spout
(HANSAFILL)

Shower



HANSALIGNA
single-lever shower mixer,
DN 15 (G 1/2)
for wall-mounting
0667 0103 chrome



HANSAPUREJET
wall bar set 900 mm
0456 0220 chrome
HANSAPUREJET Duo, Silverjet®
shower hose 1750 mm,
chrome optic

Shower HANSABUEBOX



HANSABUEBOX
function unit with trim kit
for HANSALIGNA single-
lever shower mixer*
8387 9513 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
without diverter


Shower / HANSAMATRIX



HANSABUEBOX
function unit with trim kit
for HANSALIGNA single-
lever shower mixer*
8387 9503 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter



HANSAMATRIX
trim kit installation set 03
single-lever mixer, DN 15*
4487 1030 chrome
suitable for HANSALIGNA,
with wall-bar set, with
HANSARAIN overhead shower,
DN 15



HANSAMATRIX
trim kit installation set 04
single-lever mixer, DN 15*
4487 1040 chrome
suitable for HANSALIGNA,
with shower set, with
HANSARAIN overhead shower,
DN 15



HANSAMATRIX
trim kit installation set 01
single-lever mixer, DN 15*
4487 1010 chrome
suitable for HANSALIGNA,
with solid-metal shower bar
1100 mm



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm




HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome +
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALIFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower

* Planned availability
from March 2016

Accessories



HANSA MATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSA MATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set




HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSA
trim kit
0228 9172 chrome



HANSA
trim kit
0628 9105 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve




HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve



HANSA
trim kit
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX



HANSA
trim kit
Pipe interrupter
4482 0000 chrome



HANSA
wall-mounted shower
bracket
4444 0100 chrome



HANSA
wall-mounted shower
bracket
4444 0173 chrome

HANSASTELA


Washbasin



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5715 2201 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 122 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5714 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 122 mm



HANSA|LIVING
X - Plate
6636 0000 chrome



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5709 2201 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5708 2201 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
one-hole single-lever basin
mixer, DN 15
5710 2201 chrome
for washbowls, without
pop-up waste, connection with
flexible pressure hoses
projection: 144 mm



HANSASTELA
electronic basin mixer,
DN 15
mains supply
5712 2201 chrome
sensory operation (infrared),
incl. power supply and
connection cable, push-pop-up
waste
projection: 126 mm



HANSASTELA
battery-operated
electronic basin mixer,
DN 15
5716 2211 chrome
sensory operation (infrared),
push-pop-up waste
projection: 126 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15*
4490 2103 chrome
projection: 166 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15*
5783 2171 chrome
projection: 162 mm



HANSASTELA
trim kit
wall-mounted single-lever
basin mixer, DN 15*
5785 2171 chrome
projection: 242 mm



HANSASTELA
trim kit
wall-mounted basin mixer,
DN 15*
5721 2103 chrome
projection: 160 mm



HANSASTELA
trim kit
wall-mounted basin mixer,
DN 15*
5722 2103 chrome
projection: 240 mm

Bath/Shower



HANSASTELA
three-hole basin mixer,
DN 15*
5720 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 111 mm



HANSASTELA
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
5774 2101 chrome
projection: 165 mm



HANSAPUREJET Set
for bath mixers
0401 0210 chrome
HANSAPUREJET Mono,
Silverjet® shower hose
1250 mm, chrome optic



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever bath mixer*
8784 9051 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever bath mixer*
8784 9041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever bath mixer with
vacuum breaker*
8784 3051 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever bath mixer with
vacuum breaker*
8784 3041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Bathtub



HANSASTELA
bathtub spout,
DN 15 (G 1/2)**
5782 2100 chrome
also compatible with
HANSAMATRIX
projection: 160 mm



HANSASTELA
trim kit single-lever mixer
for all 4-hole installation
units*
5730 2021 chrome
angled rosette
projection: 177 mm



HANSASTELA
trim kit single-lever mixer
for all 4-hole installation
units*
5730 2011 chrome
projection: 177 mm



HANSASTELA
trim kit single-lever mixer
for all 3-hole installation
units*
5731 9012 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly, angled rosette



HANSASTELA
trim kit single-lever mixer
for all 3-hole installation
units*
5731 9011 chrome
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly



HANSAMATRIX
trim kit installation set 10
single-lever mixer, DN 15*
4487 3100 chrome
suitable for HANSASTELA,
with shower set, with bathtub
spout, DN 15



HANSAMATRIX
trim kit installation set 12
thermostatic mixer,
DN 15 (G1/2)*
4487 3120 chrome
suitable for HANSASTELA,
with shower set, with bathtub
spout, DN 15

Bath/Shower HANSAMATRIX

Shower



HANSAMATRIX
trim kit installation set 13
single-lever mixer, DN 15*
4487 3130 chrome
suitable for HANSASTELA,
with shower set, for distant
positioned bathtub spout
(HANSAFILL)



HANSASTELA
single-lever shower mixer,
DN 15 (G 1/2)
5767 0101 chrome



HANSAPUREJET
wall bar set 900 mm
0456 0220 chrome
HANSAPUREJET Duo, Silverjet®
shower hose 1750 mm,
chrome optic

Shower HANSABUEBOX



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever shower mixer*
8785 9051 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
without diverter



HANSABUEBOX
function unit with trim kit
for HANSASTELA single-
lever shower mixer*
8785 9041 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

Shower HANSAMATRIX



HANSAMATRIX
trim kit installation set 03
single-lever mixer, DN 15*
4487 3030 chrome
suitable for HANSASTELA, with
wall-bar set, with HANSARAIN
overhead shower, DN 15




HANSAMATRIX
trim kit installation set 04
single-lever mixer, DN 15*
4487 3040 chrome
suitable for HANSASTELA, with
shower set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 01
single-lever mixer, DN 15*
4487 3010 chrome
suitable for HANSASTELA,
with solid-metal shower bar
1100 mm



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

* Planned availability
from March 2016



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSAMATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set



**HANSA
trim kit
multi-way diverter**
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



**HANSA
trim kit**
0228 9172 chrome



**HANSA
trim kit**
0628 9105 chrome



**HANSA
wall connection elbow,
DN 15**
5118 0170 chrome



**HANSA
wall connection elbow,
DN 15**
5118 0173 chrome



**HANSA
wall connection elbow,
DN 15
with integrated stop**
5157 0172 chrome
can also be used as an angle
valve



**HANSA
wall connection elbow,
DN 15
with integrated stop**
5157 0173 chrome
can also be used as an angle
valve



**HANSA
trim kit
Pipe interrupter**
4481 0000 chrome
also compatible with
HANSAMATRIX



**HANSA
trim kit
Pipe interrupter**
4482 0000 chrome



**HANSA
wall-mounted shower
bracket**
4444 0100 chrome



**HANSA
wall-mounted shower
bracket**
4444 0173 chrome

HANSARONDA


Washbasin



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
5526 2203 chrome
spout: swivel, pop-up waste
(metal), connection with
flexible pressure hoses
projection: 115 mm



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
5534 2203 chrome
spout: swivel, without pop-up
waste, connection with flexible
pressure hoses
projection: 115 mm




**HANSA|LIVING
X - Plate**
6636 0000 chrome



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
0309 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 100 mm



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
0308 2273 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 100 mm



**HANSA|LIVING
X - Plate**
6637 0000 chrome



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
0303 2273 chrome
for washbowls, without
pop-up waste, connection with
flexible pressure hoses
projection: 148 mm



**HANSARONDA
one-hole single-lever basin
mixer, DN 15**
0301 2173 chrome
extractable hand spray, pop-up
waste (metal), connection
using copper pipes
projection: 125 mm



**HANSARONDA
trim kit
wall-mounted single-lever
basin mixer, DN 15***
4488 2103 chrome
projection: 186 mm




**HANSARONDA
trim kit
wall-mounted single-lever
basin mixer, DN 15***
0383 2273 chrome
projection: 182 mm

Bidet



**HANSARONDA
one-hole single-lever
mixer, DN 15**
0306 3273 chrome
for bidet
projection: 103 mm



**HANSA|LIVING
X - Plate**
6637 0000 chrome



**HANSARONDA
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting**
0374 2173 chrome
projection: 163 mm

Bath/Shower

Bath/Shower HANSABLUEBOX

Bathtub



HANSAVIVA-Set for bath mixers
4417 0210 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1750 mm



HANSAARONDA single-lever bath mixer, DN 15 G1/2
0342 2073 chrome
ground-standing
projection: 200 mm



HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever bath mixer*
8384 9583 chrome
rosette without screws, squared rosette, 150 x 150 mm, function unit with BLUESWITCH diverter



HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever bath mixer*
8384 9573 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter



HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever bath mixer with vacuum breaker*
8384 3583 chrome
rosette without screws, squared rosette, 150 x 150 mm, function unit with BLUESWITCH diverter



HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever bath mixer with vacuum breaker*
8384 3573 chrome
rosette without screws, round rosette, Ø 170 mm, function unit with BLUESWITCH diverter



HANSAARONDA bathtub spout, DN 15 (G 1/2)**
0582 2172 chrome
also compatible with HANSAMATRIX
projection: 180 mm

Bath / Shower HANSAMATRIX



HANSAARONDA trim kit single-lever mixer for all 4-hole installation units*
0340 2083 chrome
angled rosette
projection: 240 mm



HANSAARONDA trim kit single-lever mixer for all 4-hole installation units*
0340 2073 chrome
projection: 240 mm



HANSAARONDA trim kit single-lever mixer for all 3-hole installation units*
0341 9083 chrome
for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly, angled rosette



HANSAARONDA trim kit single-lever mixer for all 3-hole installation units*
0341 9073 chrome
for distant positioned bathtub spout (HANSAFILL), without HANSAFILL tub filler and drain assembly



HANSAMATRIX trim kit installation set 10 single-lever mixer, DN 15*
4487 2100 chrome
suitable for HANSARONDA, with shower set, with bathtub spout, DN 15



HANSAMATRIX trim kit installation set 12 thermostatic mixer, DN 15 (G1/2)*
4487 2120 chrome
suitable for HANSARONDA, with shower set, with bathtub spout, DN 15



HANSAMATRIX trim kit installation set 13 single-lever mixer, DN 15*
4487 2130 chrome
suitable for HANSARONDA, with shower set, for distant positioned bathtub spout (HANSAFILL)

Shower

Shower HANSABLUEBOX

Shower HANSAMATRIX



HANSAARONDA single-lever shower mixer, DN 15 (G 1/2) for wall-mounting
0367 0173 chrome



HANSAVIVA wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower, 100 mm, 3-spray, shower hose, 1750 mm




HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever shower mixer*
8386 9583 chrome
rosette without screws, squared rosette, 150 x 150 mm, function unit without diverter



HANSABLUEBOX function unit with trim kit for HANSARONDA single-lever shower mixer*
8386 9573 chrome
rosette without screws, round rosette, Ø 170 mm, function unit without diverter



HANSAMATRIX trim kit installation set 03 single-lever mixer, DN 15*
4487 2030 chrome
suitable for HANSARONDA, with wall-bar set, with HANSARAIN overhead shower, DN 15



HANSAMATRIX trim kit installation set 04 single-lever mixer, DN 15*
4487 2040 chrome
suitable for HANSARONDA, with shower set, with HANSARAIN overhead shower, DN 15



HANSAMATRIX trim kit installation set 01 single-lever mixer, DN 15*
4487 2010 chrome
suitable for HANSARONDA, with solid-metal shower bar 1100 mm



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0160 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 16
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0161 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower




HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0170 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSARAIN overhead
shower



HANSAMATRIX
trim kit installation set 17
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0171 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set,
HANSAVIVA overhead shower



HANSAMATRIX
trim kit installation set 18
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0180 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 19
electronic thermostatic
mixer, DN 15 (G1/2)*
4487 0190 chrome*
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

*Planned availability
from March 2016



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0070 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 07
thermostatic mixer,
DN 15 (G1/2)*
4487 0071 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar
set 1100 mm, HANSAVIVA
overhead shower



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0080 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, with HANSARAIN
overhead shower, DN 15



HANSAMATRIX
trim kit installation set 08
thermostatic mixer,
DN 15 (G1/2)*
4487 0081 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, with shower
set, HANSAVIVA overhead
shower



HANSAMATRIX
trim kit installation set 05
thermostatic mixer,
DN 15 (G1/2)*
4487 0050 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, wall bar set
1100 mm



HANSAMATRIX
trim kit installation set 06
thermostatic mixer,
DN 15 (G1/2)*
4487 0060 chrome
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, shower set

Accessories




HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSA
trim kit
0228 9172 chrome



HANSA
trim kit
0628 9105 chrome



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve



**HANSA
trim kit**
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX



**HANSA
trim kit**
Pipe interrupter
4482 0000 chrome



**HANSA
wall-mounted shower
bracket**
4444 0100 chrome



**HANSA
wall-mounted shower
bracket**
4444 0173 chrome

HANSA|LIVING
concealed thermostats
compatible with all series

Bath/shower



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING bath
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation *
8114 9562 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter and
volume control



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING bath
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation *
8114 9552 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter
and volume control



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING bath
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation
with vacuum breaker *
8114 3562 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with BLUESWITCH diverter and
volume control



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING bath
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation
with vacuum breaker *
8114 3552 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter
and volume control

Shower



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING shower
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation *
8113 9562 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
with service stops



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING shower
thermostatic mixer,
DN 15 (G1/2)
with integrated ceramic
volume regulation *
8113 9552 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with service stops

Thermostats without shut-off



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING
thermostatic mixer,
DN 15 (G1/2) *
8112 9573 chrome
rosette without screws,
squared rosette,
150 x 150 mm, function unit
without diverter, without
volume control



HANSABLUEBOX
function unit with trim kit
HANSA|LIVING
thermostatic mixer,
DN 15 (G1/2) *
8866 9501 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter, without
volume control

Thermostats DN 20



HANSA|LIVING
trim kit *
5112 9172 chrome
without water volume control,
squared rosette 175 x 175 mm



HANSA|LIVING
trim kit *
0665 9105 chrome
without water volume control,
Rosette round, Ø 188 mm



HANSAMIX
one-hole single-lever basin mixer, DN 15
0109 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0109 2183 00006 chrome
energy saving variation, pop-
up waste (metal), connection
using copper pipes
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0104 2183 chrome
without pop-up waste,
weighted chain
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0108 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 141 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0119 2183 chrome
pop-up waste (metal), spout:
swivel, connection using
copper pipes
projection: 157 mm

HANSAMIX
one-hole single-lever basin mixer, DN 15
0118 2183 chrome
without pop-up waste, spout:
swivel, connection using
copper pipes
projection: 157 mm

Wall mounted basin

Bidet

Bath/Shower



HANSAMIX
one-hole single-lever basin mixer, DN 15
0110 2283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 127 mm

HANSAMIX
one-hole single-lever basin mixer XS, DN 15
0116 2283 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 127 mm

HANSAMIX
wall-mounted single-lever basin mixer, DN 15
0196 8183 chrome
projection: 160 mm

HANSAMIX
one-hole single-lever mixer, DN 15 for bidet
0106 3283 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 113 mm

HANSAMIX
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
0174 2183 chrome
projection: 162 mm

HANSAPUREJET Set for bath mixers
0401 0210 chrome
HANSAPUREJET Mono,
Silverjet® shower hose
1250 mm, chrome optic

HANSABBLUEBOX
function unit with trim kit for HANSAMIX single-lever bath mixer*
8184 9083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

Shower



HANSABBLUEBOX
function unit with trim kit for HANSAMIX single-lever bath mixer with vacuum breaker*
8184 3083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter

HANSABBLUEBOX
function unit with trim kit with trim kit for HANSAHOME thermostatic bath mixer with integrated ceramic volume regulation*
8862 9045 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter
and volume control

HANSABBLUEBOX
function unit with trim kit with trim kit for HANSAHOME thermostatic bath mixer with integrated ceramic volume regulation*
8862 3045 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter
and volume control

HANSAMIX
single-lever shower mixer, DN 15 (G 1/2) for wall-mounting
0167 0183 chrome

HANSAPUREJET
wall bar set 900 mm
0456 0220 chrome
HANSAPUREJET Duo, Silverjet®
shower hose 1750 mm,
chrome optic

HANSABBLUEBOX
function unit with trim kit for HANSAMIX single-lever shower mixer*
8185 9083 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter

HANSABBLUEBOX
function unit with trim kit for HANSAHOME thermostate shower mixer with integrated ceramic volume regulation*
8861 9045 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with service stops



HANSABBLUEBOX
function unit with trim kit with trim kit for HANSAHOME thermostatic mixer without water volume control*
8860 9045 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit without diverter, without
volume control

HANSAMIX
trim kit*
0860 9175 chrome
Rosette round, Ø 205 mm,
suitable for HANSAVARIO
thermostat 0804 / 0805 DN
20 (G3/4)

HANSAPRADO



Washbasin



HANSAPRADO one-hole single-lever basin mixer, DN 15
0140 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 123 mm



HANSAPRADO one-hole single-lever basin mixer, DN 15
0140 2273 00006 chrome
energy saving variation, pop-
up waste (metal), connection
with flexible pressure hoses
projection: 123 mm



HANSAPRADO one-hole single-lever basin mixer, DN 15
0141 2273 chrome
without pop-up waste,
weighted chain
projection: 123 mm



HANSAPRADO one-hole single-lever basin mixer, DN 15
0142 2273 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 123 mm

Bidet



HANSAPRADO one-hole single-lever mixer, DN 15 for bidet
0143 3273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 125 mm

Bath/Shower



HANSAPRADO one-hole single-lever mixer, DN 15 for rim-mounting
0151 2273 chrome
flexible hoses
projection: 153 mm



HANSAPRADO single-lever bath mixer, DN 15 (G 1/2)
0144 2173 chrome
projection: 175 mm




HANSAPRADO single-lever bath mixer, DN 15 (G 1/2)
0144 2173 00003 chrome
with shower set
projection: 175 mm




HANSAVIVA-Set for bath mixers
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm



HANSAPRADO single-lever bath mixer, DN 20 (G 3/4) for wall-mounting
0144 2073 chrome
without eccentric connections
projection: 175 mm



HANSABLUEBOX function unit with trim kit for HANSAPRADO single-lever bath mixer*
8146 9073 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABLUEBOX function unit with trim kit for HANSAPRADO single-lever bath mixer with vacuum breaker*
8146 3073 chrome
rosette without screws,
function unit with
BLUESWITCH diverter

Shower



HANSAPRADO single-lever shower mixer, DN 15 (G 1/2)
0145 0173 chrome



HANSA swivel spout
0494 2100 chrome
with diverter
projection: 355 mm



HANSAVIVA wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSABLUEBOX function unit with trim kit for HANSAPRADO single-lever shower mixer*
8147 9073 chrome
rosette without screws,
function unit without diverter

HANSAFORM available until 30.6.2016



Washbasin



HANSAFORM one-hole single-lever basin mixer, DN 15
4909 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 99 mm



HANSAFORM one-hole single-lever basin mixer, DN 15
4905 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 99 mm

Bidet



HANSAFORM one-hole single-lever mixer, DN 15 for bidet
4906 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 106 mm

Bath/Shower



HANSAFORM single-lever bath mixer, DN 15 (G 1/2)
4974 2103 chrome
projection: 159 mm



HANSAVIVA-Set for bath mixers
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm



HANSAVAROX function unit with trim kit for HANSAFORM single-lever bath mixer
4992 9003 chrome

Shower



HANSAVAROX
function unit with trim kit
for **HANSAFORM** single-
lever bath mixer
with vacuum breaker
4992 3003 chrome



HANSAFORM
trim kit
single-lever bath mixer,
DN 15 G1/2 *
4994 7003 chrome
for installation unit 5000 0100



HANSAFORM
single-lever shower mixer,
DN 15 (G 1/2)
4967 0103 chrome



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSAVAROX
function unit with trim kit
for **HANSAFORM** single-
lever shower mixer
4993 9003 chrome



HANSAFORM
trim kit
single-lever shower mixer,
DN 15 (G 1/2) *
4995 7003 chrome



HANSAFORM
trim kit
single-lever shower mixer*
4996 7003 chrome

HANSADISC



Washbasin



HANSADISC
one-hole single-lever basin
mixer, DN 15
0101 2274 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 111 mm



HANSADISC
one-hole single-lever basin
mixer, DN 15
0107 2274 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 111 mm



HANSADISC
one-hole single-lever
mixer, DN 15
for bidet
0102 3274 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 112 mm

Bidet



HANSADISC
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
0178 2174 chrome
projection: 161 mm

Bath / Shower



HANSAPUREJET Set
for bath mixers
0401 0210 chrome
HANSAPUREJET Mono,
Silverjet® shower hose
1250 mm, chrome optic



HANSABUEBOX
function unit with trim kit
for **HANSADISC** single-
lever bath mixer*
8186 9074 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter


Shower



HANSABUEBOX
function unit with trim kit
for **HANSADISC** single-
lever bath mixer
with vacuum breaker*
8186 3074 chrome
rosette without screws, round
rosette, Ø 170 mm, function
unit with BLUESWITCH diverter



HANSADISC
single-lever shower mixer,
DN 15 (G 1/2)
0168 0174 chrome



HANSAPUREJET
wall bar set 900 mm
0456 0220 chrome
HANSAPUREJET Duo, Silverjet®
shower hose 1750 mm,
chrome optic



HANSABUEBOX
function unit with trim kit
for **HANSADISC** single-
lever shower mixer*
8187 9074 chrome
rosette without screws, round
rosette, Ø 170 mm

HANSATWIST



Washbasin



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0954 2205 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 130 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0954 2203 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 130 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0955 2205 chrome
loop lever (metal), without
pop-up waste, connection with
flexible pressure hoses
projection: 130 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0955 2203 chrome
Solid lever (Metall), without
pop-up waste, connection with
flexible pressure hoses
projection: 130 mm



HANSATWIST XL
one-hole single-lever basin
mixer, DN 15
0901 2285 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 123 mm



HANSATWIST XL
one-hole single-lever basin
mixer, DN 15
0901 2283 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 123 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0909 2285 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 121 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0909 2283 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 121 mm



HANSATWIST XL
one-hole single-lever basin
mixer, DN 15
0902 2285 chrome
loop lever (metal), connection
with flexible pressure hoses,
without pop-up waste
projection: 123 mm



HANSATWIST XL
one-hole single-lever basin
mixer, DN 15
0902 2283 chrome
Solid lever (Metall), connection
with flexible pressure hoses,
without pop-up waste
projection: 123 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0905 2285 chrome
loop lever (metal), connection
with flexible pressure hoses,
without pop-up waste
projection: 121 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0905 2283 chrome
Solid lever (Metall), connection
with flexible pressure hoses,
without pop-up waste
projection: 121 mm



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0930 2205 chrome
with function hand shower,
loop lever (metal), connection
with flexible pressure hoses
projection: 121 mm

Bidet



HANSATWIST
one-hole single-lever basin
mixer, DN 15
0930 2203 chrome
with function hand shower,
Solid lever (Metall), connection
with flexible pressure hoses
projection: 121 mm



HANSATWIST
one-hole single-lever
mixer, DN 15
for bidet
0906 3283 chrome
loop lever (metal), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 112 mm



HANSATWIST
one-hole single-lever
mixer, DN 15
for bidet
0906 3283 chrome
Solid lever (Metall), pop-up
waste (metal), connection with
flexible pressure hoses
projection: 112 mm

Bath/Shower



HANSATWIST
single-lever bath mixer,
DN 15 (G 1/2)
0974 2185 chrome
loop lever (metal)
projection: 162 mm



HANSATWIST
single-lever bath mixer,
DN 15 (G 1/2)
0974 2183 chrome
Solid lever (Metall)
projection: 162 mm



HANSAVIVA-Set
for bath mixers
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever bath mixer*
8984 9085 chrome
rosette without screws,
function unit with
BLUESWITCH diverter

Shower



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever bath mixer*
8984 9083 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever bath mixer
with vacuum breaker*
8984 3085 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever bath mixer
with vacuum breaker*
8984 3083 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSATWIST
trim kit
single-lever bath mixer,
DN 15 (G 1/2)*
4976 7005 chrome
loop lever



HANSATWIST
trim kit
single-lever bath mixer,
DN 15 (G 1/2)*
4976 7003 chrome



HANSATWIST
single-lever shower mixer,
DN 15 (G 1/2)
0967 0185 chrome
loop lever



HANSATWIST
single-lever shower mixer,
DN 15 (G 1/2)
0967 0183 chrome
Solid lever (Metall)



HANSAVIVA
wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower,
100 mm, 3-spray, shower
hose, 1750 mm



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever shower mixer*
8985 9083 chrome
rosette without screws,
function unit without diverter



HANSABUEBOX
function unit with trim kit
for HANSATWIST single-
lever shower mixer*
8985 9085 chrome
rosette without screws,
function unit without diverter



HANSATWIST
trim kit
single-lever shower mixer,
DN 15 (G 1/2)*
4975 7005 chrome
loop lever



HANSATWIST
trim kit
single-lever shower mixer,
DN 15 (G 1/2)*
4975 7003 chrome



HANSATWIST
trim kit
single-lever shower mixer*
4977 7005 chrome
loop lever



HANSATWIST
trim kit
single-lever shower mixer*
4977 7003 chrome



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15
5254 2287 chrome
pin operating lever (metal), connection with flexible pressure hoses, pop-up waste (metal)
projection: 139 mm



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15
5255 2287 chrome
pin operating lever (metal), connection with flexible pressure hoses, without pop-up waste
projection: 139 mm



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15 with raised socket
5247 2277 chrome
pin operating lever, for washbowls, connection with flexible pressure hoses
projection: 200 mm



HANSAVANTIS STYLE XL one-hole single-lever basin mixer, DN 15
5256 2277 chrome
pin operating lever, connection with flexible pressure hoses, pop-up waste (metal)
projection: 110 mm



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15
5240 2277 chrome
pin operating lever, connection with flexible pressure hoses, pop-up waste (metal)
projection: 102 mm



HANSAVANTIS one-hole single-lever basin mixer, DN 15
5240 2273 chrome
connection with flexible pressure hoses, pop-up waste (metal)
projection: 102 mm

Bidet



HANSAVANTIS STYLE XL one-hole single-lever basin mixer, DN 15
5237 2277 chrome
pin operating lever, connection with flexible pressure hoses, without pop-up waste
projection: 110 mm



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15
5242 2277 chrome
pin operating lever, without pop-up waste, connection with flexible pressure hoses
projection: 102 mm



HANSAVANTIS one-hole single-lever basin mixer, DN 15
5242 2273 chrome
without pop-up waste, connection with flexible pressure hoses
projection: 102 mm



HANSAVANTIS STYLE one-hole single-lever basin mixer, DN 15
5268 2207 chrome
with function hand shower, connection with flexible pressure hoses, without pop-up waste
projection: 112 mm



HANSAVANTIS one-hole single-lever basin mixer, DN 15
5268 2203 chrome
with function hand shower, connection with flexible pressure hoses
projection: 112 mm



HANSAVANTIS STYLE one-hole single-lever bidet mixer, DN 15
5243 3277 chrome
pin operating lever, pop-up waste (metal), connection with flexible pressure hoses
projection: 107 mm



HANSAVANTIS one-hole single-lever bidet mixer, DN 15
5243 3273 chrome
pop-up waste (metal), connection with flexible pressure hoses
projection: 107 mm

Bath/Shower



HANSAVANTIS STYLE single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
5244 2177 chrome
pin operating lever
projection: 159 mm



HANSAVANTIS single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
5244 2173 chrome
projection: 159 mm



HANSAVANTIS STYLE single-lever bath mixer, DN 15 (G 1/2) SUR GORGE
5239 2277 chrome
pin operating lever, for rim-mounting
projection: 164 mm



HANSAVANTIS STYLE single-lever bath mixer, DN 15 (G 1/2)
5239 2277 0038 chrome
projection: 164 mm



HANSAVIVA-Set for bath mixers
4417 0110 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1250 mm



HANSABLUEBOX function unit with trim kit for HANSAVANTIS STYLE single-lever bath mixer*
8260 9077 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSABLUEBOX function unit with trim kit for HANSAVANTIS single-lever bath mixer*
8260 9073 chrome
rosette without screws, function unit with BLUESWITCH diverter

Shower



HANSABLUEBOX function unit with trim kit for HANSAVANTIS STYLE single-lever bath mixer with vacuum breaker*
8260 3077 chrome
rosette without screws, function unit with BLUESWITCH diverter



HANSAVANTIS STYLE trim kit single-lever bath mixer, DN 15 G1/2*
5260 0177 chrome
pin operating lever



HANSAVANTIS trim kit single-lever bath mixer, DN 15 G1/2*
5260 0173 chrome



HANSAVANTIS STYLE single-lever shower mixer, DN 15 (G 1/2) for wall-mounting
5245 0177 chrome
pin operating lever



HANSAVANTIS single-lever shower mixer, DN 15 (G 1/2) for wall-mounting
5245 0173 chrome



HANSAVIVA wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower, 100 mm, 3-spray, shower hose, 1750 mm



HANSABLUEBOX function unit with trim kit for HANSAVANTIS STYLE single-lever shower mixer*
8261 9077 chrome
rosette without screws, function unit without diverter



HANSABLUEBOX
function unit with trim kit
for **HANSAVANTIS** single-
lever shower mixer*
8261 9073 chrome
rosette without screws,
function unit without diverter



HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4501 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 99 mm



HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4504 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 99 mm



HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4506 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 99 mm

HANSAPINTO

Washbasin



Bidet



Bath/Shower



HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4501 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 99 mm

HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4504 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 99 mm

HANSAPINTO XL
one-hole single-lever basin
mixer, DN 15
4506 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 99 mm

HANSAPINTO
one-hole single-lever basin
mixer, DN 15
4506 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 99 mm

HANSAPINTO
one-hole single-lever
mixer, DN 15
for bidet
4507 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 105 mm

HANSAPINTO
single-lever bath mixer,
DN 15 (G 1/2)
for wall-mounting
4511 2103 chrome
projection: 159 mm



HANSAPINTO
single-lever bath mixer,
DN 15 (G 1/2)
SUR GORGE
4537 2203 chrome
projection: 164 mm



HANSAPINTO
single-lever bath mixer,
DN 15 (G 1/2)
4512 0103 chrome



HANSABLUEBOX
function unit with trim kit
for **HANSAPINTO**
single-lever bath mixer*
8526 9103 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit
for **HANSAPINTO**
single-lever bath mixer
with vacuum breaker*
8528 3003 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPINTO
trim kit
single-lever bath mixer,
DN 15 G1/2 *
4516 7103 chrome



HANSAPINTO
single-lever shower mixer,
DN 15 (G 1/2)
4512 0103 chrome



HANSA
swivel spout
0494 2100 chrome
with diverter
projection: 355 mm

Shower



HANSAPINTO
single-lever shower mixer,
DN 15 (G 1/2)
4512 0103 chrome



HANSABLUEBOX
function unit with trim kit
for **HANSAPINTO**
single-lever shower mixer*
8527 9103 chrome
rosette without screws,
without diverter



HANSAPINTO
trim kit
single-lever shower mixer,
DN 15 (G 1/2)*
4517 7103 chrome
for installation unit 5000 0100



HANSAPINTO
trim kit for single-lever
shower mixer*
5066 9003 chrome



HANSAPINTO
bathset
4642 0200 0046 chrome

Installation package



HANSAPRIMO
one-hole single-lever basin mixer, DN 15
4954 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 142 mm



HANSAPRIMO
one-hole single-lever basin mixer, DN 15
4955 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 142 mm



HANSAPRIMO XL
one-hole single-lever basin mixer, DN 15
4956 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 110 mm



HANSAPRIMO
one-hole single-lever basin mixer, DN 15
4940 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 107 mm



HANSAPRIMO XL
one-hole single-lever basin mixer, DN 15
4937 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 111 mm



HANSAPRIMO
one-hole single-lever basin mixer, DN 15
4942 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 107 mm

Bidet



HANSAPRIMO
one-hole single-lever bidet mixer, DN 15
4946 2203 chrome
with function hand shower,
connection with flexible
pressure hoses, without pop-
up waste
projection: 107 mm



HANSAPRIMO
one-hole single-lever bidet mixer, DN 15
for bidet
4943 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 107 mm



HANSAPRIMO
single-lever bath mixer, DN 15 (G 1/2)
4944 2103 chrome
projection: 155 mm



HANSAPRIMO
single-lever bath mixer, DN 15 (G 1/2)
4944 2103 00003 chrome
with shower set
projection: 155 mm



HANSAPRIMO
single-lever bath mixer, DN 20 (G 3/4)
for wall-mounting
4944 2003 chrome
without eccentric connections




HANSAPRIMO
one-hole single-lever mixer, DN 15
for rim-mounting
4951 2203 chrome
connection with flexible hoses
G 1/2, length 600 mm
projection: 164 mm



HANSAVIVA-Set
for bath mixers
4417 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1250 mm

Shower



HANSABUEBOX
function unit with trim kit for HANSAPRIMO single-lever bath mixer*
8990 9003 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABUEBOX
function unit with trim kit for HANSAPRIMO single-lever bath mixer with vacuum breaker*
8990 3003 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSAPRIMO
trim kit single-lever bath mixer, DN 15 (G 1/2)*
4997 7003 chrome



HANSAPRIMO
single-lever shower mixer, DN 15 (G 1/2)
4945 0103 chrome



HANSA
swivel spout
0494 2100 chrome
with diverter
projection: 355 mm



HANSAVIVA
wall bar set 900 mm
4415 0110 chrome
HANSAVIVA hand shower,
100 mm, 1-spray, shower
hose, 1750 mm



HANSABUEBOX
function unit with trim kit for HANSAPRIMO single-lever shower mixer*
8991 9003 chrome
rosette without screws,
function unit without diverter

Installation package



HANSAPRIMO
trim kit single-lever shower mixer, DN 15 (G 1/2)*
4998 7003 chrome



HANSAPRIMO
trim kit single-lever shower mixer*
4999 7003 chrome



HANSAPRIMO
shower set thermostat
4643 0101 0046 chrome



HANSAPRIMO
shower set thermostat
4643 0001 0046 chrome



HANSAPRIMO
shower set thermostat
4647 0101 0046 chrome

HANSAPOLO



Washbasin



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5140 2273 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 90 mm



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5141 2273 chrome
without pop-up waste,
weighted chain, connection
with flexible pressure hoses
projection: 90 mm



HANSAPOLO
one-hole single-lever basin
mixer, DN 15
5142 2273 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 90 mm

Bidet



HANSAPOLO
one-hole single-lever
mixer, DN 15
for bidet
5143 3273 chrome
pop-up waste (metal),
connection with flexible
hoses G 3/8
DVGW W270 approved
projection: 106 mm

Bath/Shower



HANSAPOLO
single-lever bath mixer,
DN 15 (G 1/2)
5144 2173 chrome
projection: 158 mm



HANSABASICJET Set
for bath mixers
4468 0110 chrome
with HANSABASICJET 1
hand shower, shower hose,
1250 mm



HANSAPOLO
single-lever bath mixer,
DN 15 (G 1/2)
5239 2273 chrome
projection: 164 mm



HANSABLUEBOX
function unit with trim kit
for HANSAPOLO single-
lever bath mixer *
8060 9073 chrome
rosette without screws,
function unit with
BLUESWITCH diverter



HANSABLUEBOX
function unit with trim kit
for HANSAPOLO single-
lever bath mixer
with vacuum breaker *
8062 3073 chrome
rosette without screws,
function unit with
BLUESWITCH diverter




HANSAPOLO
trim kit
single-lever bath mixer,
DN 15 G1/2 *
5060 7173 chrome
for installation unit 5000 0100

Shower



HANSAPOLO
single-lever shower mixer,
DN 15 (G 1/2)
5145 0173 chrome



HANSABASICJET
wall bar set 900 mm
4467 0130 chrome
with HANSABASICJET 3
hand shower, shower hose,
1750 mm



HANSABLUEBOX
function unit with trim kit
for HANSAPOLO single-
lever shower mixer *
8061 9073 chrome
rosette without screws,
function unit without diverter


Installation package




HANSAPOLO
trim kit
single-lever shower mixer,
DN 15 (G 1/2) *
5061 7173 chrome



HANSAPOLO
trim kit for single-lever
shower mixer *
5062 9073 chrome



HANSAPOLO
bathset
4641 0200 0046 chrome



HANSAPOLO
bathset
4646 0200 0046 chrome

HANSAPICO

Washbasin



HANSAPICO
one-hole single-lever basin mixer, DN 15
4604 2203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 102 mm



HANSAPICO
one-hole single-lever basin mixer, DN 15
4606 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 102 mm



HANSAPICO
one-hole single-lever basin mixer, DN 15
4605 2203 chrome
without pop-up waste,
weighted chain, connection
with flexible pressure hoses
projection: 102 mm



Bidet



HANSAPICO
one-hole single-lever mixer, DN 15 for bidet
4607 3203 chrome
pop-up waste (metal),
connection with flexible
pressure hoses
projection: 102 mm

Bath/Shower



HANSAPICO
single-lever bath mixer, DN 15 (G 1/2) for wall-mounting
4611 2103 chrome
projection: 155 mm



HANSABASICJET Set for bath mixers
4468 0110 chrome
with HANSABASICJET 1
hand shower, shower hose,
1250 mm

Shower



HANSAPICO
single-lever bath mixer, DN 15 (G 1/2) for rim-mounting
4637 2203 chrome
projection: 164 mm



HANSAVAROX
function unit with trim kit
HANSAPICO
single-lever bath mixer*
4626 9103 chrome




HANSAPICO
trim kit
single-lever bath mixer, DN 15 G1/2 *
4616 7103 chrome



HANSAPICO
single-lever shower mixer, DN 15 (G 1/2)
4612 0103 chrome



HANSA
swivel spout
0494 2100 chrome
with diverter
projection: 355 mm



HANSABASICJET
wall bar set 900 mm
4467 0130 chrome
with HANSABASICJET 3
hand shower, shower hose,
1750 mm



HANSAVAROX
function unit with trim kit
HANSAPICO
single-lever shower mixer*
4627 9103 chrome


Installation package



HANSAPICO
trim kit
single-lever shower mixer, DN 15 (G 1/2) *
4617 7103 chrome




HANSAPICO
trim kit for single-lever shower mixer*
5070 9003 chrome



HANSAPICO
shower set
4640 0000 0046 chrome



HANSAPICO
shower set
4644 0000 0046 chrome



HANSAPICO
bathset
4640 0200 0046 chrome



HANSAPICO
bathset
4645 0200 0046 chrome

Exposed Thermostats



HANSAFORSENSES



HANSAFORSENSES
thermostatic bath mixer,
DN 15 (G 1/2)
6463 2101 chrome
projection: 155 mm



HANSAFORSENSES
thermostatic shower mixer,
DN 15 (G 1/2)
6464 0101 chrome



HANSAFORSENSES
thermostatic shower mixer,
DN 15 (G 1/2)
6465 0200 82 chrome / white
with shower system directly
connected



HANSAFORSENSES
thermostatic shower mixer,
DN 15 (G 1/2)
6465 0200 84 chrome / grey
with shower system directly
connected

HANSAFIT



HANSAFIT
thermostatic shower mixer,
DN 15 (G 1/2)
6514 0101 chrome



HANSAFIT
thermostatic bath mixer,
DN 15 (G 1/2)
6513 2101 chrome
projection: 127 mm



HANSAFIT
thermostatic shower mixer,
DN 15 (G 1/2)
6515 9101 chrome
with shower system directly
connected, headshower
rectangular, 257 x 197 mm



HANSAFIT
thermostatic bath mixer,
DN 15 (G 1/2)
6516 2101 chrome
with shower system directly
connected, headshower
rectangular, 257 x 197 mm

HANSALANO



HANSALANO
thermostatic bath mixer,
DN 15 (G 1/2)
6413 2101 chrome
projection: 170 mm



HANSALANO
thermostatic shower mixer,
DN 15 (G 1/2)
6414 0101 chrome



HANSALANO
thermostatic shower mixer,
DN 15 (G 1/2)
6415 9101 chrome
with shower system directly
connected, Hydra head shower
Ø 238 mm

HANSATEMPRA STYLE




HANSATEMPRA STYLE
thermostatic bath mixer,
DN 15 (G 1/2)
5844 2101 chrome
projection: 159 mm



HANSATEMPRA STYLE
thermostatic shower mixer,
DN 15 (G 1/2)
5841 0101 chrome

HANSATEMPRA



HANSATEMPRA STYLE
thermostatic shower mixer,
DN 15 (G 1/2)
5842 9103 chrome
with shower system directly
connected, shower head, solid
brass Ø 220 mm, HANSASTILO
hand shower, 1-spray



HANSATEMPRA
thermostatic shower mixer,
DN 15 (G 1/2)
0841 0102 chrome



HANSATEMPRA
thermostatic shower mixer,
DN 15 (G 1/2)
0841 0202 chrome
eccentric connections with
shut-off valve

HANSAPRISMA



HANSAPRISMA
thermostatic bath mixer,
DN 15 (G 1/2)
5810 2101 chrome
projection: 182 mm



HANSAPRISMA
thermostatic bath mixer,
DN 15 (G 1/2)
5807 2101 0067 chrome
temperatur limit set to max.
45°C
projection: 184 mm



HANSAPRISMA
thermostatic bath mixer,
DN 15 (G 1/2)
5810 2001 chrome
without eccentric connections
projection: 157 mm



HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5808 0101 chrome



HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5808 0001 chrome
without eccentric connections




HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5809 9103 chrome
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5809 9113 chrome
with shower system directly
connected, shower head
square 250 x 250 mm,
HANSASTILO hand shower,
1-spray



HANSAPRISMA
shower renovation set
4808 0131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130), 3-spray



HANSAPRISMA
shower renovation set
4808 0121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), 1-spray



HANSAPRISMA
bath renovation set
4810 2131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130), 3-spray



HANSAPRISMA
bath renovation set
4810 2121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), 1-spray


HANSAUNITA



HANSAPRISMA
shower renovation set
4808 0021 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), without
eccentric connections



HANSAUNITA
thermostatic bath mixer,
DN 15 (G 1/2)
5837 2101 chrome



HANSAUNITA
thermostatic bath mixer,
DN 15 (G 1/2)
5837 2001 chrome
without eccentric connections



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5813 0101 chrome



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5813 0301 chrome
centre distance: 120 mm



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5813 0001 chrome
without eccentric connections



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5813 9001 chrome
without eccentric connections



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5814 9103 chrome
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5814 9113 0067 chrome
with shower system directly
connected, shower head
square 200 x 200 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAUNITA
bath renovation set
4837 2131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130)



HANSAUNITA
bath renovation set
4837 2031 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130)



HANSAUNITA
shower renovation set
4813 0131 chrome
with HANSAVIVA wall bar set
900 mm (4415 0130)



HANSAUNITA
shower renovation set
4813 0121 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110)



HANSAUNITA
shower renovation set
4813 0021 chrome
with HANSAVIVA wall bar set
600 mm (4416 0110), without
eccentric connections

HANSAMINIMAT safety thermostatic mixer



HANSAMINIMAT
safety thermostatic mixer
for angle valve mounting
for basin pillar valves or
mixers
6341 0020 chrome




HANSAMINIMAT
copper pipes
6638 0100 chrome



HANSAMINIMAT
hose copper pipe
6639 0200

HANSA Shower Systems



HANSAUNITA



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5814 9103 chrome
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAUNITA
thermostatic shower mixer,
DN 15 (G 1/2)
5814 9113 0067 chrome
with shower system directly
connected, shower head
square 200 x 200 mm,
HANSAVIVA hand shower,
100 mm, 3-spray

HANSAFIT



HANSAFIT
thermostatic shower mixer,
DN 15 (G 1/2)
6515 9101 chrome
with shower system directly
connected, headshower
rectangular, 257 x 197 mm



HANSAFIT
thermostatic bath mixer,
DN 15 (G 1/2)
6516 2101 chrome
with shower system directly
connected, headshower
rectangular, 257 x 197 mm

HANSALANO



HANSALANO
thermostatic shower mixer,
DN 15 (G 1/2)
6415 9101 chrome
with shower system directly
connected, Hydra head shower
Ø 238 mm

HANSATEMPRA STYLE



HANSATEMPRA STYLE
thermostatic shower mixer,
DN 15 (G 1/2)
5842 9103 chrome
with shower system directly
connected, shower head, solid
brass Ø 220 mm, HANSASTILO
hand shower, 1-spray

HANSAPRISMA



HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5809 9103 chrome
with shower system directly
connected, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAPRISMA
thermostatic shower mixer,
DN 15 (G 1/2)
5809 9113 chrome
with shower system directly
connected, shower head
square 250 x 250 mm,
HANSASTILO hand shower,
1-spray

HANSAFORSENSES



HANSAFORSENSES
thermostatic shower mixer,
DN 15 (G 1/2)
6465 0200 82 chrome / white
with shower system directly
connected



HANSAFORSENSES
thermostatic shower mixer,
DN 15 (G 1/2)
6465 0200 84 chrome / grey
with shower system directly
connected

HANSAVIVA



HANSAVIVA
shower system
water-bearing shower rail
4418 0200 chrome
for connection with all
exposed wall-mounted or all
concealed mixers, HANSAVIVA
headshower Ø 202 mm,
HANSAVIVA hand shower,
100 mm, 3-spray



HANSAVIVA
shower system
water-bearing shower rail
4419 0200 chrome
for the direct connection to
the wall connection elbow,
HANSAVIVA headshower
Ø 202 mm, HANSAVIVA hand
shower, 100 mm, 3-spray

HANSASMARTSHOWER



HANSASMARTSHOWER
multi-functional wellness
shower system, DN 15
5860 0100 glass, mirrored
for connection with all exposed
wall-mounted or all concealed
mixers



HANSASMARTSHOWER
multi-functional wellness
shower system, DN 15
5861 0900 glass, mirrored
with HANSACUBE thermostat



HANSASMARTSHOWER
multi-functional wellness
shower system, DN 15
5858 0100 glass, granite grey
for connection with all exposed
wall-mounted or all concealed
mixers



HANSASMARTSHOWER
multi-functional wellness
shower system, DN 15
5859 0900 glass, granite grey
with HANSACUBE thermostat



HANSACONCERTO
touch-free aluminium
shower panel with
thermostat
battery-operated
6415 2200
optional forced flushing every
24, 48 or 72 hours

Hand shower



HANSAFORSENSES

Hand shower



HANSAFORSENSES
handshower, 2-spray
6482 0100 chrome
Ø 105 mm

Shower set



HANSAFORSENSES
wall bar set 600 mm
6486 0120 chrome
2-spray, shower hose,
1500 mm


HANSAFIT

Hand shower



HANSAFIT
hand shower, 3-spray
6532 0100 chrome
Ø 94 mm

Shower set



HANSAFIT
wall bar set 900 mm
6537 0120 chrome
hand shower, 3-spray, shower
hose, 1500 mm



HANSAFIT
wall bar set 600 mm
with grab handle
6536 0320 chrome
hand shower, 3-spray, shower
hose, 1500 mm

HANSAPUREJET

Hand shower



HANSAPUREJET Duo
hand shower, DN 15
0432 0200 chrome



HANSAPUREJET Mono
hand shower, DN 15
0431 0200 chrome


Wall bar



HANSAPUREJET
wall bar set 900 mm
0456 0220 chrome
HANSAPUREJET Duo, Silverjet®
shower hose 1750 mm,
chrome optic



HANSAPUREJET
wall bar set 900 mm
0456 0210 chrome
HANSAPUREJET Mono,
Silverjet® shower hose
1750 mm, chrome optic



HANSAPUREJET
wall bar 900 mm
0455 0200 chrome



HANSAPUREJET
wall bar 600 mm
0438 0200 chrome

Shower set



HANSAPUREJET Set for bath mixers
0401 0220 chrome
HANSAPUREJET Duo, Silverjet® shower hose 1250 mm, chrome optic



HANSAPUREJET Set for bath mixers
0401 0210 chrome
HANSAPUREJET Mono, Silverjet® shower hose 1250 mm, chrome optic

Accessories



HANSA wall connection elbow, DN 15
0442 0200 chrome



Silverjet® shower hose
5412 0400 chrome, length 1250 mm
5412 0500 chrome, length 1600 mm
5412 0300 chrome, length 1750 mm
5412 0200 chrome, length 2000 mm



HANSA wall bar corner mounting set
0453 0200 chrome

HANSAVIVA

Hand shower



HANSAVIVA hand shower, 3-spray
4433 0100 chrome
Ø 100 mm



HANSAVIVA hand shower, 1-spray
4431 0100 chrome
Ø 100 mm

Wall bar




HANSAVIVA hand shower, 3-spray
4434 0100 chrome
Ø 130 mm



HANSAVIVA wall bar set 900 mm
4415 0130 chrome
HANSAVIVA hand shower, 100 mm, 3-spray, shower hose, 1750 mm



HANSAVIVA wall bar set 900 mm
4415 0110 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1750 mm



HANSAVIVA wall bar 900 mm
4413 0100 chrome



HANSAVIVA wall bar set 600 mm
4416 0110 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1750 mm



HANSAVIVA wall bar 600 mm
4414 0100 chrome



HANSAVIVA corner mounting set
4423 0100 chrome

Shower set



HANSAVIVA-Set for bath mixers
4417 0210 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1750 mm



HANSAVIVA-Set for bath mixers
4417 0110 chrome
HANSAVIVA hand shower, 100 mm, 1-spray, shower hose, 1250 mm

Overhead shower



HANSAVIVA overhead shower, DN 15
4426 0100 chrome
shower head, solid brass
Ø 202 mm
projection: 350 mm



HANSAVIVA overhead shower, DN 15
4426 0300 chrome
shower head, solid brass
Ø 300 mm
projection: 350 mm



HANSAVIVA overhead shower, DN 15
4427 0100 chrome
shower head, solid brass
Ø 202 mm



HANSAVIVA overhead shower, DN 15
4427 0300 chrome
shower head, solid brass
Ø 300 mm



HANSAVIVA overhead shower, DN 15
4426 0240 chrome
shower head square
200 x 200 mm
projection: 350 mm




HANSAVIVA overhead shower, DN 15
4426 0340 chrome
shower head square
250 x 250 mm
projection: 350 mm



HANSAVIVA overhead shower, DN 15
4427 0240 chrome
shower head square
200 x 200 mm



HANSAVIVA overhead shower, DN 15
4427 0340 chrome
shower head square
250 x 250 mm




HANSAVIVA overhead shower, DN 15
0418 0240 chrome
shower head square
200 x 200 mm
projection: 400 mm



HANSAVIVA overhead shower, DN 15
0418 0340 chrome
shower head square
250 x 250 mm
projection: 400 mm



HANSAVIVA overhead shower, DN 15
0419 0240 chrome
shower head square
200 x 200 mm



HANSAVIVA overhead shower, DN 15
0419 0340 chrome
shower head square
250 x 250 mm

HANSAVIVA



HANSAVIVA shower system water-bearing shower rail
4418 0200 chrome
for connection with all exposed wall-mounted or all concealed mixers, HANSAVIVA headshower Ø 202 mm, HANSAVIVA hand shower, 100 mm, 3-spray



HANSAVIVA shower system water-bearing shower rail
4419 0200 chrome
for the direct connection to the wall connection elbow, HANSAVIVA headshower Ø 202 mm, HANSAVIVA hand shower, 100 mm, 3-spray

Accessories



HANSAVIVA wall-mounted shower bracket
4424 0100 chrome



HANSAVIVA shower hose
4412 0400 chrome, length 1250 mm
4412 0300 chrome, length 1750 mm
4412 0200 chrome, length 2000 mm



HANSAVIVA corner mounting set
4423 0100 chrome



HANSAMEDIJET hand shower low on aerosol, DN 15
0416 0100 chrome
Ø 85 mm



HANSAMEDIJET hand shower low on aerosol, DN 15
0416 0170 chrome
Ø 100 mm



HANSAMEDIJET FLEX hand shower low on aerosol, DN 15
4428 0170 chrome
Ø 100 mm

Wall bar



HANSAMEDIJET wall bar set 900 mm
0400 0170 chrome
for heavy duty use



HANSAJET solid-metal wall bar 900 mm
0448 0100 chrome
for heavy duty use

Overhead shower



HANSAMEDIJET head shower low on aerosol
4429 0170 chrome
Ø 100 mm



HANSAJET shower arm, DN 15
0411 0200 chrome
projection: 200 mm



HANSAJET shower arm, DN 15
5199 0200 chrome
projection: 165 mm

Accessories




HANSAMEDIJET shower hose
0412 0473 chrome, mesh optic, length 1250 mm
0412 0573 chrome, mesh optic, length 1600 mm
0412 0373 chrome, mesh optic, length 1750 mm
0412 0273 chrome, mesh optic, length 2000 mm

HANSABASICJET Hand shower



HANSABASICJET 3 hand shower, DN 15
4463 0100 chrome



HANSABASICJET 2 hand shower, DN 15
4462 0100 chrome




HANSABASICJET 1 hand shower, DN 15
4461 0100 chrome


Wall bar



HANSABASICJET wall bar set 900 mm
4467 0130 chrome
with HANSABASICJET 3 hand shower, shower hose, 1750 mm



HANSABASICJET wall bar set 900 mm
4467 0120 chrome
with HANSABASICJET 2 hand shower, shower hose, 1750 mm



HANSABASICJET wall bar set 900 mm
4467 0110 chrome
with HANSABASICJET 1 hand shower, shower hose, 1750 mm



HANSABASICJET wall bar 900 mm
4470 0200 chrome
shower hose, 1750 mm




**HANSABASICJET
wall bar set 600 mm**
4478 0130 chrome
with HANSABASICJET 3
hand shower, shower hose,
1750 mm




**HANSABASICJET
wall bar set 600 mm**
4478 0120 chrome
with HANSABASICJET 2
hand shower, shower hose,
1750 mm




**HANSABASICJET
wall bar set 600 mm**
4478 0110 chrome
with HANSABASICJET 1
hand shower, shower hose,
1750 mm



**HANSABASICJET
wall bar set 600 mm**
4478 0230 chrome
HANSABASICJET 3 hand
shower, shower hose,
1750 mm



**HANSABASICJET
wall bar set 600 mm**
4478 0220 chrome
HANSABASICJET 2 hand
shower, shower hose,
1750 mm



**HANSABASICJET
wall bar set 600 mm**
4478 0210 chrome
with HANSABASICJET 1
hand shower, shower hose,
1750 mm



**HANSABASICJET
wall bar 600 mm**
4471 0200 chrome
shower hose, 1750 mm

Shower set



**HANSABASICJET Set
for bath mixers**
4468 0280 chrome
HANSABASICJET 3 hand
shower, shower hose,
1250 mm



**HANSABASICJET Set
for bath mixers**
4468 0120 chrome
with HANSABASICJET 2
hand shower, shower hose,
1250 mm



**HANSABASICJET Set
for bath mixers**
4468 0110 chrome
with HANSABASICJET 1
hand shower, shower hose,
1250 mm



HANSABASICJET Set
4468 0100 chrome
shower hose, 1600 mm



HANSABASICJET Set
4468 0200 chrome
shower hose, 1250 mm

Overhead shower



**HANSABASICJET 3
overhead shower, DN 15**
4466 0100 chrome



**HANSABASICJET 2
overhead shower, DN 15**
4465 0100 chrome



**HANSABASICJET 1
overhead shower, DN 15**
4464 0100 chrome



**HANSAJET
shower arm, DN 15**
0411 0200 chrome
projection: 200 mm



**HANSAJET
shower arm, DN 15**
5199 0200 chrome
projection: 165 mm

Shower range series independent



**HANSAFORSENSES
handshower, 2-spray**
6482 0100 chrome
Ø 105 mm



**HANSASTILO
hand shower**
5439 0100 chrome



**HANSADESIGNO
hand shower, DN 15**
5117 0200 chrome



**HANSATRIJET-S
hand shower, DN 15**
0433 0100 chrome
0433 0100 82 white



**HANSADUOJET S
hand shower, DN 15**
0432 0100 chrome



**HANSAMONOJET
hand shower, DN 15**
0431 0100 chrome

Wall bar



HANSAFITAIR
water saving hand shower,
DN 15
0417 0100 chrome



HANSAPROJET
hand shower, DN 15
0430 0100 10 transparent
Ø 75 mm, autoclavable



HANSAMATRIX
wall bar set 1100 mm
4442 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1600 mm, chrome optic



HANSA
wall bar set 1100 mm
4441 0190 chrome
HANSADESIGN hand
shower, Silverjet® shower hose
1600 mm, chrome optic



HANSA
solid-metal wall bar
wall bar 1100 mm
4441 0100 chrome



HANSA
solid-metal wall bar
wall bar 600 mm
4440 0100 chrome



HANSAJET
wall bar set 900 mm
0458 0140 chrome
HANSATRIJET-S hand shower,
HANSAJET shower hose,
1600 mm

Shower set



HANSAPREMIO
wall bar 900 mm
0457 0100 chrome



HANSAPREMIO
wall bar corner mounting
set
0452 0100 chrome



HANSAMEDIJET
wall bar set 900 mm
0400 0170 chrome
for heavy duty use



HANSAJET
solid-metal wall bar
wall bar 900 mm
0448 0100 chrome
for heavy duty use



HANSAMATRIX
shower set
4443 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1250 mm, chrome optic



HANSAJET set
for bath mixers
0401 0430 chrome



HANSA
hygiene shower set, DN 15
0197 0200 chrome

Overhead showers




HANSARAIN
overhead shower, DN 15
0418 0100 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSARAIN
overhead shower, DN 15
0418 0300 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSARAIN
overhead shower, DN 15
0419 0100 chrome
shower head, solid brass
Ø 220 mm



HANSARAIN
overhead shower, DN 15
0419 0300 chrome
shower head, solid brass
Ø 220 mm



HANSATRIJET-S
overhead shower, DN 15
0435 0100 chrome



HANSAJET
sport shower, DN 15
0486 0100 chrome
projection: 125 mm



HANSAJET
power shower, DN 15
0440 0100 chrome
amplitude: 95 mm
projection: 125 mm

Wall connection elbows



HANSAJET
power shower, DN 20
0439 0100 chrome
amplitude: 150 mm
projection: 165 mm



HANSAJET
shower arm, DN 15
0411 0200 chrome
projection: 200 mm



HANSAJET
shower arm, DN 15
5199 0200 chrome
projection: 165 mm



HANSADUOJET S
side shower, DN 15
0436 0100 chrome



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
with integrated stop
5157 0173 chrome
can also be used as an angle
valve



HANSA
wall connection elbow,
DN 15
5118 0170 chrome



HANSA
wall connection elbow,
DN 15
5118 0173 chrome




HANSA
wall connection elbow,
DN 15
0446 0100 chrome



HANSA
wall connection elbow,
DN 15
0442 0100 chrome



HANSA
wall connection elbow,
DN 15
0442 0200 chrome



HANSA
wall connection elbow,
DN 15
4425 0100 chrome



HANSA
wall connection elbow,
DN 15
4425 0000 chrome



HANSA
wall connection elbow,
DN 15
5252 0100 chrome

Shower holder



HANSA
wall-mounted shower
bracket
4444 0173 chrome



HANSA
wall-mounted shower
bracket
4444 0100 chrome



HANSA
wall connection elbow,
DN 15
0446 0100 chrome



HANSA
wall-mounted shower
bracket
0443 0100 chrome



HANSA
wall-mounted shower
bracket
6439 0100 chrome



HANSAVIVA
wall-mounted shower
bracket
4424 0100 chrome




HANSA
shower bracket
0415 0100 chrome

Shower hose



Silverjet® shower hose
5412 0400 chrome,
length 1250 mm
5412 0500 chrome,
length 1600 mm
5412 0300 chrome,
length 1750 mm
5412 0200 chrome,
length 2000 mm




HANSAJET
shower hose
0412 0400 chrome
0412 0400 82 white
length 1250 mm

HANSAJET
shower hose
0412 0500 chrome
0412 0500 82 white
length 1600 mm

HANSAJET
shower hose
0412 0200 chrome
length 2000 mm



HANSAVIVA
shower hose
4412 0400 chrome,
length 1250 mm
4412 0300 chrome,
length 1750 mm
4412 0200 chrome,
length 2000 mm



HANSAMEDIJET
shower hose
0412 0473 chrome,
mesh optic, length 1250 mm
0412 0573 chrome,
mesh optic, length 1600 mm
0412 0373 chrome,
mesh optic, length 1750 mm
0412 0273 chrome,
mesh optic, length 2000 mm

HANSA Wall/Bath Spouts HANSA LOFT



HANSA LOFT
bathtub spout, DN 15**
5765 2100 chrome
also compatible with
HANSAMATRIX
projection: 197 mm



HANSA DESIGNNO
bathtub spout, DN 15
5116 2170 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSALIGNA
bathtub spout,
DN 15 (G 1/2)**
0682 2102 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSA STELA
bathtub spout,
DN 15 (G 1/2)**
5782 2100 chrome
also compatible with
HANSAMATRIX
projection: 160 mm



HANSARONDA
bathtub spout,
DN 15 (G 1/2)**
0582 2172 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSA
bath/basin wall spout,
DN 15
5116 2100 chrome
projection: 200 mm



HANSA
bathtub spout, DN 15
5250 2100 chrome
projection: 170 mm



**HANSA
bath spout, DN 20**
0598 2100 0050 chrome
projection: 160 mm




**HANSA
bath spout, DN 20**
0599 2100 0050 chrome
projection: 250 mm



**HANSA
pillar connection,
G 1/2 x G 3/4**
0528 0100 chrome


HANSAFILL tub filler and drain assembly

HANSAFILL Installation set



**HANSAFILL
tub filler and drain
assembly
installation set**
0517 0100 chrome

Accessories



**HANSAFILL
flexible connection hose
for installation set**
0518 0100



**HANSA
trim kit**
0519 9000 chrome



**HANSA
trim kit
Pipe interrupter**
4481 0000 chrome
also compatible with
HANSAMATRIX



**HANSA
trim kit
Pipe interrupter**
4482 0000 chrome

HANSAFIT

Washbasin



**HANSAFIT
electronic basin mixer,
DN 15
mains supply**
6541 2000 chrome
sensory operation (infrared),
without pop-up waste, flexible
hoses
projection: 85 mm



**HANSAFIT
electronic basin mixer,
DN 15
battery-operated**
6541 2210 chrome
sensory operation (infrared),
without pop-up waste, flexible
hoses
projection: 85 mm



**HANSAFIT
one-hole single-lever basin
mixer, DN 15**
6504 2203 chrome
without pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm



**HANSAFIT
one-hole single-lever basin
mixer, DN 15**
6509 2203 chrome
incl. push-pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm



**HANSAFIT
one-hole single-lever basin
mixer, DN 15**
6507 2203 chrome
with function hand shower,
incl. push-pop-up waste,
connection with flexible
pressure hoses
projection: 98 mm



**HANSAFIT
one-hole single-lever basin
mixer, DN 15**
6507 3203 chrome
with remotely operated
function handshower, without
pop-up waste, connection with
flexible pressure hoses
projection: 98 mm

Exposed thermostats




**HANSAFIT
thermostatic shower mixer,
DN 15 (G 1/2)**
6514 0101 chrome



**HANSAFIT
thermostatic bath mixer,
DN 15 (G 1/2)**
6513 2101 chrome
projection: 127 mm

Shower set



**HANSAFIT
wall bar set 900 mm**
6537 0120 chrome
hand shower, 3-spray, shower
hose, 1500 mm




**HANSAFIT
wall bar set 600 mm
with grab handle**
6536 0320 chrome
hand shower, 3-spray, shower
hose, 1500 mm

Hand shower



**HANSAFIT
hand shower, 3-spray**
6532 0100 chrome
Ø 94 mm

PUBLIC



Wall-mounted basin/sink mixers



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
5793 2171 chrome
spout, Ø 19 mm, can be
shortened from 225 to
160 mm
projection: 225 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
5794 2171 chrome
spout, Ø 26 mm, can be
shortened from 225 to
160 mm
projection: 225 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
5795 2171 chrome
spout, Ø 19 mm, can be
shortened from 300 to
235 mm
projection: 300 mm



HANSAPUBLIC
trim kit
wall-mounted single-lever
basin mixer, DN 15
5796 2171 chrome
spout, Ø 26 mm, can be
shortened from 300 to
235 mm
projection: 300 mm

HANSANOVA STYLE HANSANOVA



Wash basin pillar valve



HANSANOVA STYLE
basin pillar valve, DN 15
5093 8101 chrome
5093 8101 82 white
5093 8101 84 black
5093 8101 96 stainless steel

projection: 94 mm



HANSANOVA STYLE
basin pillar valve, DN 15
5091 8101 chrome
projection: 131 mm



HANSANOVA STYLE Set
basin pillar valve, DN 15
5093 8191 chrome
with HANSAMINIMAT safety
thermostatic mixer
projection: 94 mm



HANSANOVA STYLE Set
basin pillar valve, DN 15
5091 8191 chrome
with HANSAMINIMAT safety
thermostatic mixer
projection: 131 mm

Wash basin wall-mounted mixer



HANSANOVA STYLE
wall-mounted basin valve,
DN 15
5086 8101 chrome
projection: 107 mm



HANSANOVA STYLE
wall-mounted basin valve,
DN 15
5096 8101 chrome
can be shortened from 186
to 126 mm
projection: 186 mm

Wash basin pillar valve



HANSANOVA
basin pillar valve, DN 15
0093 8101 chrome
projection: 93 mm



HANSANOVA
basin pillar valve, DN 15
0091 8101 chrome
projection: 127 mm



HANSAN pillar tap
0089 2116 0050 chrome
projection: 88 mm

Washbasin wall-mounted mixer



HANSANOVA
wall-mounted basin valve,
DN 15
0086 8101 chrome
projection: 106 mm



HANSANOVA
wall-mounted basin valve,
DN 15
0096 8101 chrome
can be shortened from 186
to 126 mm
projection: 186 mm

HANSAMINIMAT safety thermostatic mixer



HANSAMINIMAT
safety thermostatic mixer
for angle valve mounting
for basin pillar valves or
mixers
6341 0020 chrome



HANSAMINIMAT
copper pipes
6638 0100 chrome



HANSAMINIMAT
hose copper pipe
6639 0200

HANSADESIGNO E

Electronic one-hole basin mixer



HANSADESIGNO-E
electronic basin mixer,
DN 15
mains supply
5179 2200 chrome
sensory operation (infrared),
incl. power supply and
connection cable, pull pop-up
waste, flexible hoses
projection: 110 mm



HANSADESIGNO-E
electronic basin mixer,
DN 15
mains supply
5174 2200 chrome
sensory operation (infrared),
incl. power supply and
connection cable, for cold
or pre-tempered water only,
without draw-rod opening
projection: 110 mm



HANSADESIGNO-E
electronic basin mixer,
DN 15
battery-operated
5179 2210 chrome
sensory operation (infrared),
pull pop-up waste, flexible
hoses
projection: 110 mm



HANSADESIGNO-E
electronic basin mixer,
DN 15
battery-operated
5177 2210 chrome
sensory operation (infrared),
without draw-rod opening,
flexible hoses
projection: 110 mm



HANSADESIGNO-E
electronic basin mixer,
DN 15
battery-operated
5174 2210 chrome
sensory operation (infrared),
for cold or pre-tempered water
only, without pop-up waste
projection: 110 mm

HANSAMIX E

Electronic one-hole basin mixer



HANSAMIX E
electronic basin mixer,
DN 15
mains supply
5079 2200 chrome
sensory operation (infrared),
incl. power supply and
connection cable, pull pop-up
waste, flexible hoses
projection: 111 mm



HANSAMIX E
electronic basin mixer,
DN 15
mains supply
5077 2200 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste, flexible hoses
projection: 111 mm



HANSAMIX E
electronic basin mixer,
DN 15
mains supply
5074 2200 chrome
sensory operation (infrared),
for cold or pre-tempered
water only, without pop-up
waste, incl. power supply and
connection cable
projection: 111 mm



HANSAMIX E
electronic basin mixer,
DN 15
battery-operated
5079 2210 chrome
sensory operation (infrared),
pull pop-up waste, flexible
hoses
projection: 111 mm



HANSAMIX E
electronic basin mixer,
DN 15
battery-operated
5077 2210 chrome
sensory operation (infrared),
without pop-up waste, flexible
hoses
projection: 111 mm



HANSAMIX E
electronic basin mixer,
DN 15
battery-operated
5074 2210 chrome
sensory operation (infrared),
for cold or pre-tempered water
only, without pop-up waste
projection: 111 mm

HANSACONCERTO

Washbasin



HANSACONCERTO
electronic basin mixer,
DN 15
mains supply
6441 2000 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste
projection: 96 mm



HANSACONCERTO
electronic basin mixer,
DN 15
battery-operated
6441 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 96 mm



HANSACONCERTO
electronic basin mixer,
DN 15
battery-operated
6447 2210 chrome
sensory operation (infrared),
for cold or pre-tempered water
only, without pop-up waste
projection: 85 mm



HANSACONCERTO
electronic basin mixer,
DN 15
battery-operated
6440 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 96 mm



HANSACONCERTO
electronic basin mixer,
DN 15
mains supply
6443 2000 chrome
sensory operation (infrared),
without pop-up waste
projection: 112 mm



HANSACONCERTO
electronic basin mixer,
DN 15
battery-operated
6443 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 112 mm

Shower thermostats



HANSA CONCERTO
electronic basin mixer,
DN 15
battery-operated
6444 2220 chrome
sensory operation (infrared),
without pop-up waste
projection: 120 mm



HANSA CONCERTO
electronic basin mixer,
DN 15
battery-operated
6444 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 170 mm



HANSA CONCERTO
6448 0001 chrome
base increase for
HANSA CONCERTO fitting
6444 2210



HANSA CONCERTO
electronic basin mixer,
DN 15
temperature pre-select
mixer
for wall-mounting
6446 2201 chrome
battery-operated
projection: 100 mm



HANSA
function unit with trim
kit for
HANSA CONCERTO
thermostatic shower mixer,
DN 15 (G 1/2)*
4190 9172 chrome
mains supply, mains supply not
included in delivery



HANSA
function unit with trim
kit for
HANSA CONCERTO
thermostatic shower mixer,
DN 15 (G 1/2)*
4190 9272 chrome
Battery operated – sensory
operation (infrared)

Urinal



HANSA CONCERTO
sensory urinal operation
battery-operated
0944 0172 chrome
sensory operation (infrared)
projection: 81 mm



HANSA CONCERTO
concealed urinal trim kit,
DN 15, mains supply*
0946 9172 chrome
incl. power supply and
connection cable



HANSA CONCERTO
concealed urinal trim kit,
DN 15, battery operated*
0947 9272 chrome

HANSALANO

Washbasin




HANSALANO
electronic basin mixer,
DN 15
mains supply
6491 2010 chrome
sensory operation (infrared),
incl. power supply and
connection cable, without
pop-up waste
projection: 115 mm



HANSALANO
electronic basin mixer,
DN 15
battery-operated
6491 2210 chrome
sensory operation (infrared),
without pop-up waste
projection: 115 mm



HANSA
plug power supply
6449 0100



HANSA
concealed power supply
6499 0100



HANSA
pop-up waste, for closing
G 1 1/4
5991 3988 chrome

HANSAPUBLIC E

Wall-mounted basin mixer



HANSAPUBLIC E
basin electronic
thermostatic mixer, DN 15
for wall-mounting
5272 2200 chrome
battery-operated
projection: 204 mm

HANSAPUBLIC E
basin electronic
thermostatic mixer, DN 15
for wall-mounting
5273 2200 chrome
projection: 264 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only*
4180 2100 chrome
projection: 120 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only*
4180 2110 chrome
projection: 170 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
for cold or pre-tempered
water only*
4180 2120 chrome
projection: 220 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device*
4181 2101 chrome
projection: 120 mm

Shower



HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device*
4181 2111 chrome
projection: 170 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
concealed electronic mixer,
DN 15 (G1/2)
with temperature mixing
device*
4181 2121 chrome
projection: 220 mm

HANSAVAROX
function unit with trim kit
for HANSAPUBLIC E
thermostatic shower mixer,
DN 15 (G 1/2)
for concealed installation*
4191 9001 chrome
self-closing fitting, DN 15

HANSAMINIMAT safety thermostatic mixer



HANSAMINIMAT
safety thermostatic mixer
for angle valve mounting
for basin pillar valves or
mixers
6341 0020 chrome

HANSAMINIMAT
copper pipes
6638 0100 chrome

HANSAMINIMAT
hose copper pipe
6639 0200

Electronic Shut-off valves



HANSA
remote appliance socket
battery-operated
0259 0100 chrome
battery-operated

HANSA
remote appliance socket
mains supply
0259 0110 chrome
mains supply

Concealed components for HANSA products.

HANSAMATRIX Installation System




Suitable for:
HANSA|LIVING:
HANSA|SIGNATUR
HANSA|LOFT
HANSA|DESIGNO
HANSA|LIGNA
HANSA|STELA
HANSA|RONDA

Recommended for:
HANSA|EDITION

HANSAMATRIX single components Washbasin / HANSAMATRIX



HANSA|SIGNATUR
trim kit
concealed electronic mixer,
DN 15 (G 1/2)
mains supply
4491 2010 chrome +
with thermostatic temperature
mixing device, sensory
operation (infrared),
incl. power supply and
connection cable
projection: 195 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
for electronically operated
wall mixers
4409 0000 *



HANSALOFT
trim kit
wall-mounted single-lever
basin mixer, DN 15
5757 2103 chrome
projection: 197 mm



HANSALIGNA
trim kit
wall-mounted single-lever
basin mixer, DN 15
4489 2103 chrome
projection: 190 mm

*planned availability
from March 2016


Bath/shower HANSAMATRIX



HANSA|STELA
trim kit
wall-mounted single-lever
basin mixer, DN 15
4490 2103 chrome
projection: 166 mm




HANSARONDA
trim kit
wall-mounted single-lever
basin mixer, DN 15
4488 2103 chrome
projection: 186 mm



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
single-lever mixer
4400 0000
forward outlet




HANSAMATRIX
trim kit
thermostatic mixer
4452 9503 chrome
suitable for HANSA|SIGNATUR,
HANSA|LOFT, HANSA|DESIGNO,
HANSA|LIGNA, HANSA|STELA,
HANSA|RONDA, for 1 wall
outlet/with shut-off valve



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4402 0000
with shut-off valve, with
protection against scalding



HANSAMATRIX
trim kit
thermostatic mixer
4453 9503 chrome
suitable for HANSA|SIGNATUR,
HANSA|LOFT, HANSA|DESIGNO,
HANSA|LIGNA, HANSA|STELA,
HANSA|RONDA, with 2-way-
diverter/with volume control



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
thermostatic mixer
4403 0000
with 2-way-diverter, with
protection against scalding



HANSAMATRIX
trim kit for single-lever
shower mixer
5764 9503 chrome
suitable for HANSA|LOFT, with
2-way-diverter



HANSAMATRIX
trim kit for single-lever
shower mixer
4451 9503 chrome
suitable for HANSA|DESIGNO,
with 2-way-diverter




HANSAMATRIX
trim kit for single-lever
shower mixer
4455 9503 chrome
suitable for HANSA|LIGNA,
with 2-way-diverter



HANSAMATRIX
trim kit for single-lever
shower mixer
4457 9503 chrome
suitable for HANSA|STELA, with
2-way-diverter



HANSAMATRIX
trim kit for single-lever
shower mixer
4459 9503 chrome
suitable for HANSA|RONDA,
with 2-way-diverter



HANSAMATRIX
concealed installation unit,
DN 15 (G 1/2)
single-lever mixer
4401 0000
with 2-way-diverter



HANSA
trim kit
Pipe interrupter
4481 0000 chrome
also compatible with
HANSAMATRIX



HANSA
Pipe interrupter
concealed installation unit,
DN 15 (G 1/2)
4480 0000
available for 4481 0000 and
4482 0000



HANSALOFT
bathtub spout, DN 15**
5765 2100 chrome
also compatible with
HANSAMATRIX
projection: 197 mm



HANSA|DESIGNO
bathtub spout, DN 15
5116 2170 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSALIGNA
bathtub spout,
DN 15 (G 1/2)**
0682 2102 chrome
also compatible with
HANSAMATRIX
projection: 180 mm



HANSA|STELA
bathtub spout,
DN 15 (G 1/2)**
5782 2100 chrome
also compatible with
HANSAMATRIX
projection: 160 mm



HANSARONDA
bathtub spout,
DN 15 (G 1/2)**
0582 2172 chrome
also compatible with
HANSAMATRIX
projection: 180 mm

** round and cubic rosette in scope of delivery

Please note: Trim kit to be order separately. The necessary models are always shown on the right of the fitting.

Shower HANSAMATRIX



HANSAMATRIX trim kit for single-lever shower mixer
5763 9503 chrome
suitable for HANSALOFT,
forward outlet



HANSAMATRIX trim kit for single-lever shower mixer
4450 9503 chrome
suitable for HANSADESIGNO,
forward outlet




HANSAMATRIX trim kit for single-lever shower mixer
4454 9503 chrome
suitable for HANSALIGNA,
forward outlet



HANSAMATRIX trim kit for single-lever shower mixer
4456 9503 chrome
suitable for HANSASTELA,
forward outlet



HANSAMATRIX trim kit for single-lever shower mixer
4458 9503 chrome
suitable for HANSARONDA,
forward outlet



HANSAMATRIX concealed installation unit, DN 15 (G1/2) single-lever mixer
4400 0000
forward outlet




HANSAMATRIX trim kit electronic thermostatic mixer, DN 15 (G1/2)
4472 9503 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, for 2 outlets



HANSAMATRIX concealed installation unit, DN 15 (G1/2) for electronically operated thermostatic mixers
4407 0000 chrome +
for 2 outlets



HANSAMATRIX trim kit electronic thermostatic mixer, DN 15 (G1/2)
4473 9503 chrome +
suitable for HANSASIGNATUR,
HANSALOFT, HANSADESIGNO,
HANSALIGNA, HANSASTELA,
HANSARONDA, for 1 outlet



HANSAMATRIX concealed installation unit, DN 15 (G1/2) for electronically operated thermostatic mixers
4408 0000 chrome +
for 1 outlet

*planned availability from March 2016



HANSAMATRIX wall bar set 1100 mm
4442 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1600 mm, chrome optic




HANSAMATRIX shower set
4443 0100 chrome
HANSASTILO hand shower,
Silverjet® shower hose
1250 mm, chrome optic



HANSAMATRIX concealed installation unit, DN 15 (G1/2) connection angle
4404 0000




HANSAVIVA overhead shower, DN 15
0418 0340 chrome
shower head square
250 x 250 mm
projection: 400 mm



HANSAVIVA overhead shower, DN 15
0418 0240 chrome
shower head square
200 x 200 mm
projection: 400 mm



HANSARAIN overhead shower, DN 15
0418 0300 chrome
shower head, solid brass
Ø 220 mm
projection: 400 mm



HANSAVIVA overhead shower, DN 15
0419 0340 chrome
shower head square
250 x 250 mm



HANSAVIVA overhead shower, DN 15
0419 0240 chrome
shower head square
200 x 200 mm




HANSARAIN overhead shower, DN 15
0419 0300 chrome
shower head, solid brass
Ø 220 mm

Accessories



HANSAMATRIX concealed installation unit, DN 15 (G1/2) connection angle
4404 0000



HANSAMATRIX assembly rail
suitable for HANSAMATRIX
and HANSABUEBOX
4405 0000



HANSAMATRIX assembly angle -set
4405 0100



HANSA solid-metal wall bar wall bar 1100 mm
4441 0100 chrome



HANSA wall-mounted shower bracket
4444 0100 chrome



HANSA wall connection elbow, DN 15
5118 0170 chrome



HANSA wall connection elbow, DN 15 with integrated stop
5157 0172 chrome
can also be used as an angle
valve



HANSAMATRIX
installation unit set 01
single-lever mixer, DN 15
4486 0010
for two wall outlets



HANSAMATRIX
installation unit set 02
single-lever mixer, DN 15
4486 0020
for two wall outlets



HANSAMATRIX
installation unit set 09
electronic thermostatic
mixer, DN 15 (G1/2)
4486 0090 +
incl. power supply and
connection cable, for two
wall outlets



HANSAMATRIX
installation unit set 10
electronic thermostatic
mixer, DN 15 (G1/2)
4486 0100 +
incl. power supply and
connection cable, for one
wall outlet



HANSAMATRIX
installation unit set 03
thermostatic mixer,
DN 15 (G1/2)
4486 0030 +
for one wall outlet




HANSAMATRIX
installation unit set 04
thermostatic mixer,
DN 15 (G1/2)
4486 0040 +
for two wall outlets

+ planned availability from
March 2016



HANSAMATRIX
installation unit set 05
thermostatic mixer,
DN 15 (G1/2)
4486 0050
for two wall outlets



HANSAMATRIX
installation unit set 06
single-lever mixer, DN 15
4486 0060
for distant positioned bathtub
spout (HANSAFILL), without
HANSAFILL tub filler and drain
assembly

HANSABUEBOX concealed system



Suitable for:
HANSA|LIVING
all series
HANSA|HOME
all series

Installation unit



HANSABUEBOX
base unit, compact
solution, DN 15 concealed
unit
8000 0000
without shut-off valves



HANSABUEBOX
base unit, compact
solution, DN 20 concealed
unit
8001 0000
with shut-off valves

HANSAVARIO concealed system



Suitable for:
HANSA|LIVING
HANSA|LIVING Thermostat
HANSA|HOME
HANSA|MIX Thermostat

THM-installation unit DN 20 (G 3/4)




HANSAVARIO
concealed installation unit
thermostatic mixer,
DN 20 (G3/4)
0805 0290
with shut-off valves

HANSAVAROX



Suitable for:
HANSA|LIVING
all series
HANSA|HOME
all series

THM-installation unit DN 15 (G 1/2)



HANSAVAROX
base unit, compact
solution, DN 15 concealed
unit
4001 0000
with shut-off valves

HANSAVARIO Concealed system



Suitable for:
HANSAFORM
HANSAVANTIS/-STYLE
HANSATWIST
HANSAPINTO
HANSAPRIMO
HANSAPOLO
HANSAPICO

HANSAVARIO 3.5



HANSAVARIO
concealed installation unit
single-lever mixer, DN 15
5000 0100

Other concealed modules
2-hole



Suitable for:
2-hole wall mounted
HANSALOFT
HANSADESIGNO
HANSALIGNA
HANASTECLA
HANSARONDA
HANSAPUBLIC

Washbasin



HANSAVARIO
concealed installation unit,
DN 15 (G 1/2)
for 2-hole wall-mounted
basin mixer
5786 0100

3-hole



Suitable for:
3-hole wall mounted
HANSADESIGNO
HANSALIGNA
HANASTECLA



HANSAVARIO
installation unit for 3-hole
wall-mounted basin mixer,
DN 15 (G 1/2)
5120 0100

HANSAVARIO 3.5, 90 mm



Suitable for:
HANSAFORM
HANSAVANTIS
HANSAPINTO
HANSAPRIMO
HANSAPOLO
HANSAPICO

Shower



HANSAVARIO
single-lever mixer,
DN 15 (G 1/2)
for wall-mounting
5050 0100

HANSAVARIO



Suitable for:
Freestanding bath tub mixer
HANSALOFT
HANSADESIGNO
HANSALIGNA
HANSARONDA

Installation unit




HANSAVARIO
installation unit,
DN 15 (G1/2)
for bath mixers
5328 0100
ground-standing

4-hole wall- /rim mounted




Suitable for:
HANSA|LIVING
all series

Installation unit



HANSA COMPACT
4-hole rim-mounted
installation unit
for pillar spout, DN 20
for pillar mounting
5302 0200 chrome
can be assembled with all
4-hole trim kits



HANSA
4-hole rim-mounted
installation unit, DN 20
5304 0200 chrome
can be assembled with all
4-hole trim kits




HANSA COMPACT
wall-mounted and
renovation unit
for 4-hole tiled rim
assembly with installation
unit, DN 20
for pillar spout, DN 20
5308 0200 chrome
for wall-mounting or for
replacing older rim-mounted
fittings, can be assembled with
all 4-hole trim kits

3-hole wall- /rim mounted




Suitable for:
HANSA|LIVING
all series


Installation unit



HANSA COMPACT
3-hole rim-mounted
installation unit
for distant positioned
bathtub spout, DN 20
for pillar mounting
5301 0200 chrome




HANSA
3-hole rim-mounted
installation unit, DN 20
for distant positioned
bathtub spout, DN 20
5303 0200 chrome



HANSA COMPACT
wall-mounted and
renovation unit
for 3-hole-tiled rim
assembly with installation
unit, DN 20
for distant positioned
bathtub spout, DN 20
5307 0200 chrome

2-hole rim-mounted



Suitable for:
HANSA|HOME
HANSAMIX
HANSAPRADO

Trim Kits



**trim kit 2-hole single-lever
mixer
with extractable bathtub
spout**
5321 2030 chrome
suitable for the series
HANSAMIX and
HANSAPRADO, without
operating lever



HANSAMIX
operating lever (metal)
0188 0083 chrome
length of lever 93 mm



HANSAPRADO
operating lever (metal)
0158 0073 chrome
length of lever 86 mm

Installation unit



HANSA
2-hole individual fitting
installation set (light)
for rim-mounting
for extractable bathtub
spout, DN 20
5305 0000 chrome

individual fittings for rim-mounted system

Suitable for:
HANSA|HOME
HANSAMIX
HANSAPRADO

trim kits and installation units



trim kit single-lever mixer
5338 9100 chrome
suitable for the series
HANSAMIX and
HANSAPRADO,
without operating lever



HANSAMIX
operating lever (metal)
0188 0083 chrome
length of lever 93 mm



HANSAPRADO
operating lever (metal)
0158 0073 chrome
length of lever 86 mm



HANSA
individual fitting for
rim-mounted system
installation unit for single-
lever mixer, DN 20
5329 0100 chrome



diverter trim kit
5339 9105 chrome



HANSA
individual fitting for rim-
mounted system
concealed universal
installation unit
for diverter
5330 0100 chrome



**trim kit
pillar spout**
5332 2100 chrome
projection: 185 mm



**trim kit
pillar spout**
5333 2100 chrome
projection: 240 mm



HANSA
individual fitting for rim-
mounted system
concealed universal
installation unit
for pillar spout, DN 20
5309 0100 chrome



**Shower trim kit for hose
guide** 0428 0100
0409 9130 chrome



HANSA
shower bracket for
individual rim-mounting
0409 9130
0428 0100 chrome

ROLLBOX with automatic hose rewind




Suitable for:
HANSA|LIVING
all series
HANSA|HOME
all series

trim kits and installation units



HANSADESIGNO
trim kit for ROLLBOX 5306
5324 9190 chrome



HANSASTILO
trim kit for ROLLBOX 5306
5354 9170 chrome




HANSASTILO
trim kit for ROLLBOX 5306
5354 9120 chrome
square rosette, 75 x 75 mm



HANSAJET
trim kit for ROLLBOX 5306
5324 9130 chrome



ROLLBOX
installation unit for
individual rim-mounting
5306 0200 chrome



ROLLBOX
installation unit for
individual rim-mounting
Hose guide with automatic
hose rewind
5306 0300 chrome

Multiway diverter



HANSA
trim kit
multi-way diverter
0287 9172 chrome
square rosette, 75 x 75 mm,
round rosette, Ø 75 mm
additionally enclosed, suitable
for concealed unit 0285 0100



HANSA
trim kit
multi-way diverter
0287 9135 chrome



HANSA
concealed installation unit
0285 0100
for multi-way diverter
G 3/4, DN 20,
without volume control




HANSA
trim kit
0228 9172 chrome



HANSA
trim kit
0628 9105 chrome



HANSA
trim kit
4228 9135 chrome



HANSAPRISMA
trim kit
0228 9134 chrome



HANSALUX
trim kit
0228 9135 chrome



HANSA
concealed installation unit
0295 0100
for multi-way diverter
G 1/2, DN 15

Trim kit for concealed valves




**HANSA
trim kit**
0228 9172 chrome



**HANSA
trim kit**
0628 9105 chrome




**HANSA
trim kit**
4228 9135 chrome



**HANSAPRISMA
trim kit**
0228 9134 chrome



**HANSALUX
trim kit**
0228 9135 chrome



trim kit
0250 9141 chrome
for concealed valves
DN 15/DN 20 (15 mm/22 mm)

installation unit for concealed valves



**HANSA
concealed valve with
ceramic discs**
0225 0100
G 1/2 threaded connection



**HANSA
concealed valve with
ceramic discs**
0226 0100
G 3/4 threaded connection



**HANSA
concealed valve with
Präzisa spindle headpart**
0220 0100
G 1/2 threaded connection



**HANSA
concealed valve with
Präzisa spindle headpart**
0221 0100
G 3/4 threaded connection




**HANSA
concealed valve with
Präzisa spindle headpart**
0230 0100
soldered connection

The products shown here represent a small selection of the comprehensive HANSA program. Our sales branches will be happy to offer you more information and advice on our complete range.

CONTENTS OF HANSA FITTING RANGES

	Basin single-lever mixer	Electronic basin	Basin mixer XL	Basin mixer XS	Basin mixer side operated	2 hole-fittings	Wall mounted fitting	Open hot water heaters	Cold water pillar tap	Bidet
HANSACANYON		<input type="checkbox"/>		<input type="checkbox"/>						
HANSAMURANO X		<input type="checkbox"/>								
HANSAMURANO	<input type="checkbox"/>			<input type="checkbox"/>						
HANSASIGNATUR	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>			
HANSALOFT	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSADESIGNO/-electronic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HANSALIGNA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSATELA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSARONDA	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAMIX/-electronic	<input type="checkbox"/>	<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAPRADO	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAFORM	<input type="checkbox"/>							<input type="checkbox"/>		<input type="checkbox"/>
HANSAVANTIS	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSATWIST	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSADISC	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAPINTO	<input type="checkbox"/>		<input type="checkbox"/>				<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAPRIMO	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAPOLO	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAPICO	<input type="checkbox"/>						<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
HANSAFIT/-electronic	<input type="checkbox"/>	<input type="checkbox"/>								
HANSALANO		<input type="checkbox"/>								
HANSACONCERTO		<input type="checkbox"/>					<input type="checkbox"/>			
HANSAPUBLIC/-electronic		<input type="checkbox"/>					<input type="checkbox"/>			
HANSACOBRA/-electronic		<input type="checkbox"/>					<input type="checkbox"/>	<input type="checkbox"/>		
HANSANOVA STYLE							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Not all fitting ranges from HANSA have the same scope.
The overview shows you at a glance which products you
will find in the individual fitting ranges.



HANSA – THERE FOR YOU, WHEREVER YOU ARE.

HANSA HEAD OFFICE

HANSA Armaturen GmbH
Sigmaringer Str. 107
70567 Stuttgart
Germany
Tel.: +49 711 1614 0
Fax: +49 711 1614 368
info@hansa.com

1. HANSA DEUTSCHLAND

HANSA Armaturen GmbH
Kundenzentrum
Sigmaringer Str. 107
70567 Stuttgart, Germany
Tel.: +49 711 1614 888
Fax: +49 711 1614 801
kundenzentrum@hansa.de

2. HANSA EUROPE

HANSA Austria GmbH
5020 Salzburg
Tel.: +43 662 433 1000
Fax: +43 662 433 10020
office@hansa.at

HANSA Belgium BVBA-SPRL
B-3540 Herk-de-Stad
Tel.: + 32 (0)13 35 36 10
Fax: + 32 (0)13 66 46 86
info@hansa-belgium.be

HANSA Česko s.r.o.
197 00 Praha 9 Kbely
Tel.: +420 286854892
hansa.cesko@hansa.com

HANSA France SARL
67201 Eckbolsheim
Tel.: +33 (0)3 88 78 88 00
Fax: +33 (0)3 88 76 55 32
info@hansa.fr

HANSA España, S.A.U.
08901 – L'Hospitalet de Llobregat
Barcelona
Tel.: +34 936 374 460
Fax: +34 936 374 568
info@hansa.es

HANSA Italiana S.r.l.
37014 Castelnuovo del Garda (VR)
Tel.: +39 0 45 7575333
Fax: +39 0 45 7571258
hansaitaliana@hansa.it

HANSA Nederland B.V.
3861 MA Nijkerk
Tel.: +31 33 2 463 463
Fax: +31 33 2 463 431
info.nl@hansa.com

AQUAPUNKT

Rediscover water.
Take a look.
www.aquapunkt.com





HANSA – THERE IS MORE IN IT.

Excellent product quality is created when every detail is considered important, is well-thought-out, offers noticeable benefits. At HANSA, this is evident from many technical characteristics and special features that make every single fitting unique. To be able to easily allocate the most important arguments, we have depicted these in the form of pictograms for every fitting range. At least one product of this range has the indicated characteristics.


















Ecology:	Ecology:
Flow limitation, saving and comfort zones, as well as other options, partly individually adjustable, for optimizing water and energy consumption.	<div><div>6 l</div><div>Restriction of the flow rate to 6 l/min (indicated by product) and intelligent stream formation ensure optimised water consumption with full comfort.</div></div> <div><div>eco</div><div>eco</div><div>eco</div><div>Consumes up to 50 % / 60 % / 75 % less water and energy* due to individually adjustable water saving functions.</div></div>
Comfort:	Comfort:
Features that make operation of the fitting and use of water easier and particularly pleasant.	<div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div> <div><div></div><div>Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.</div></div> <div><div></div><div>Lightweight for particularly smooth and simple operation.</div></div> <div><div></div><div>Quick and easy to clean.</div></div> <div><div></div><div>Twist Guard: hose cone equipped with an integrated twist guard.</div></div> <div><div></div><div>Integrated light elements ensure safer operation and make the "water experience" even more amazing.</div></div> <div><div></div><div>Spouts can be shortened or are available in different lengths to give you more freedom with planning and design</div></div> <div><div></div><div>Extremely robust, high-quality stainless steel, creating a truly distinctive finish.</div></div> <div><div></div><div>LAMINAR Classic – needle spray, even, fine water streams.</div></div> <div><div></div><div>LAMINAR Active – needle spray, powerful, precision water streams.</div></div> <div><div></div><div>LAMINAR Massage powerful, precision water streams.</div></div> <div><div></div><div>LAMINAR Soft soft, full water streams.</div></div> <div><div></div><div>LAMINAR Cascade – cascade stream, one single formed stream (according to set water volume).</div></div> <div><div></div><div>LAMINAR Rain voluminous, generous water stream.</div></div> <div><div></div><div>Surfaces are available in various colours and materials</div></div> <div><div></div><div>More range and functional plus thanks to a single or multi-spray pull-out shower.</div></div> <div><div></div><div>Various heights and projections for individual preferred comfort.</div></div>
Health:	Health:
High demands are placed on water quality. We meet them by using special materials and ensure optimum hygiene.	<div><div></div><div>Touch-free operation. Maximum comfort, maximum hygiene.</div></div> <div><div></div><div>Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.</div></div> <div><div></div><div>WATER SAFE. Hi-tech function. Preserves water quality.</div></div> <div><div></div><div>Surfaces in contact with drinking water do not have a nickel coating.</div></div> <div><div></div><div>Brass in contact with drinking water contains less than 0.3% lead.</div></div>
Safety:	Safety:
Using water should be a pleasure. Our fittings offer reliable product characteristics for long-term safe operation.	<div><div></div><div>Our thermostats offer maximum safety with protection against scalding.</div></div> <div><div></div><div>THERMO COOL. Improved safety – the housing of the fittings conducts minimal heat.</div></div>
Technology:	Technology:
Product characteristics that may be crucial for the suitability of the individual planning situation.	<div><div></div><div>The right product for the modular and design-oriented concealed installation system HANSAMATRIX.</div></div> <div><div></div><div>Low-pressure fitting – for suitably designed systems.</div></div> <div><div></div><div>Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.</div></div> <div><div></div><div>Battery operation – fittings with battery or battery-powered functions.</div></div> <div><div></div><div>Mains operation – fittings for connecting to the mains network with exposed or concealed mains adapters.</div></div>

* in comparison to a conventional two-handle mixer.






Ecology:

	Restriction of the flow rate to 6 l/min (indicated by product) and intelligent stream formation ensure optimised water consumption with full comfort.
  	Consumes up to 50 % / 60 % / 75 % less water and energy* due to individually adjustable water saving functions.



Comfort:

	Touch-free operation. Maximum comfort, maximum hygiene.
	Extremely quiet. Fitting complies with the strict conditions under noise protection class 1.
	Lightweight for particularly smooth and simple operation.
	Quick and easy to clean.
	Twist Guard: hose cone equipped with an integrated twist guard.
	Integrated light elements ensure safer operation and make the "water experience" even more amazing.
	Spouts can be shortened or are available in different lengths to give you more freedom with planning and design
	Extremely robust, high-quality stainless steel, creating a truly distinctive finish.
	LAMINAR Classic – needle spray, even, fine water streams.
	LAMINAR Active – needle spray, powerful, precision water streams.
	LAMINAR Massage powerful, precision water streams.
	LAMINAR Soft soft, full water streams.
	LAMINAR Cascade – cascade stream, one single formed stream (according to set water volume).
	LAMINAR Rain voluminous, generous water stream.
	Surfaces are available in various colours and materials
	More range and functional plus thanks to a single or multi-spray pull-out shower.
	Various heights and projections for individual preferred comfort.






Health:

	Touch-free operation. Maximum comfort, maximum hygiene.
	Thermostat is suitable for thermal disinfection, which is particularly important for public or large-scale facilities.
	WATER SAFE. Hi-tech function. Preserves water quality.
	Surfaces in contact with drinking water do not have a nickel coating.
	Brass in contact with drinking water contains less than 0.3% lead.

Safety:

	Our thermostats offer maximum safety with protection against scalding.
	THERMO COOL. Improved safety – the housing of the fittings conducts minimal heat.

Technology:

	The right product for the modular and design-oriented concealed installation system HANSA MATRIX .
	Low-pressure fitting – for suitably designed systems.
	Suitable for instantaneous water heaters (shower above 20 kW or bathtub above 24 kW) with relevant limited functionality.
	Battery operation – fittings with battery or battery-powered functions.
	Mains operation – fittings for connecting to the mains network with exposed or concealed mains adapters.

LEGAL NOTICE

Publisher:
HANSA Armaturen GmbH, Stuttgart

Concept and layout:
kainz_werbeagentur, Lindau

Litho: Lösch MedienManufaktur,
Waiblingen
Printing: Bechtle Druck,
Esslingen / N.

Photos: Kuhnle+Knödler,
Ernesto Martens.

We also wish to thank the following people and companies for their support:
Alape, Gino Cenedese, Duravit AG, Duscholux GmbH, Keramag AG and STS-Mein Bad, Bette GmbH & Co.KG, Franz Kaldewei GmbH&Co.KG, Erwin Müller GmbH (EMCO).

All rights reserved.
The reproduction of articles is only possible with the express written permission of HANSA and with a precise list of references. Technical details and product details subject to change. In spite of the most modern printing machines, there may be slight colour deviations. Range and technical details subject to change. Errors and omissions excepted.

www.hansa.com



a member of 

* in comparison to a conventional two-handle mixer.