

# KEUCO

# KEUCO

We include a guarantee – according to our manufacturer warranty statement – of 5 years for our products, provided that it can be demonstrated that the product was purchased and installed by one of our appointed specialist dealers. The guarantee period begins on the date of delivery from our factory. The statutory warranty period is included in the guarantee period. Electronic components and lighting products are excluded from this guarantee statement.

Even the most advanced printing technology cannot fully reproduce the exceptional finish and subtle colour schemes of our products. Only original KEUCO products can provide you with the optimum impression. These are on display in stores which supply bathroom fittings.

No part of this brochure may be reprinted or duplicated, even in part, without our explicit consent and without specification of the source manufacturer.  
KEUCO GmbH & Co. KG,  
Postfach 1365, D-58653 Hemer

We accept no liability for changes resulting from technical advances and necessary modifications of design and colour, nor from printing errors.

Our products are exclusively available through specialist bathroom retailers.

Concept, text, design,  
and lithography:  
Kontrast Communication  
Services GmbH, Düsseldorf  
Setting/product photography:  
provideo & fototeam, Menden  
Thomas Krüsselmann, Viersen  
Printing:  
BasseDruck GmbH, Hagen  
Printed on GALAXI Keramik.  
Supplied by the Papier Union.

Art.-Nr.: 03507/170401 Broschüre PLAN blue, englisch (int. + UK), 09/10



PLAN blue – NOTHING MORE AND NOTHING LESS

KEUCO GmbH & Co. KG  
Postfach 1365  
D-58653 Hemer  
Telephone +49 2372 904-0  
Telefax +49 2372 904-236  
info@keuco.de | www.keuco.de





A holistic aesthetic in the bathroom is our passion – and the hallmark of all KEUCO products. The PLAN blue collection sparkles through impeccable surfaces and shows uncompromising functionality conveyed consistently with sustainability in mind: Namely, responsible use and treatment of materials, and environmentally friendly manufacturing, using energy from renewable sources, and purifying used water in our own water treatment plant.

PLAN blue fittings also help to save water and energy in daily use. For example, flow-restrictors fitted to basin mixers to achieve a flow-rate of six litres per minute. The timeless design and lasting quality of all components ensure that PLAN blue fittings represent a long term investment lasting for decades. PLAN blue – the perfect synergy of adequacy and sensuality.

# PLAN blue

## Product Summary

surface chrome-plated



53902  
Single lever basin mixer  
with/without pop-up waste, 1-hole installation,  
cartridge mixer with ceramic sealing gaskets  
and temperature limiter, restricted flow rate 6 l/min.  
Height: 161 mm  
Projection: 144 mm



53909  
Single lever bidet mixer  
with pop-up waste, 1-hole installation,  
cartridge mixer with ceramic sealing gaskets  
and temperature limiter, restricted flow rate 6 l/min.  
Height: 136 mm  
Projection: 138 mm



53945  
Bath filler/spout DN 20  
suitable for all concealed fittings  
Projection: 138, 188 mm



53920  
Bath tub mixer DN 15  
exposed  
Cartridge mixer with ceramic sealing gaskets, restricted flow rate  
12 l/min., ceramic stop valve and diverter, wall outlet for shower  
hose DN 15, restricted flow rate 12 l/min.,  
gauge 150 +/- 14 mm  
Width: 310 mm  
Projection: 222 mm



53972  
Single lever bath tub mixer  
concealed  
set suitable for Flexx Boxx EHM DN 20,  
complete with: handle, sleeve, diverter and rosette  
(Flexx Boxx EHM DN 20 to be ordered separately)



53924  
Shower mixer DN 15  
exposed  
ceramic stop valve,  
Cartridge mixer with ceramic sealing gaskets, wall outlet for  
shower hose DN 15, restricted flowrate 12 l/min.,  
gauge 150 +/- 14 mm  
Width: 311 mm  
Projection: 104 mm



53924  
Shower mixer with head shower  
exposed  
ceramic stop valve and diverter,  
Cartridge mixer with ceramic sealing gaskets,  
head shower swivelling, ø 180 mm, restricted flowrate 9 l/min.,  
hand shower with normal-, soft- and massage jet,  
with sliding bracket, wall bracket and shower hose (1600 mm)  
wall outlet for shower hose DN 15, gauge 150 +/- 14 mm  
Width: 310 mm  
Height: 1192 mm  
Projection: 104 mm

# PLAN blue

## Product Summary

surface chrome-plated



51683  
Shower head with wall-outlet DN 15  
Ø 180 mm, with shower head rail,  
restricted flowrate 10 l/min.,  
Projection: 300, 450 mm



51684  
Shower head with ceiling-outlet DN 15  
Ø 180 mm, with shower head rail,  
restricted flowrate 10 l/min.,  
Height: 100, 300 mm



54991  
Wall bracket for hand shower  
for shower hoses with fitted  
conical end brackets



59991  
Wall bracket for hand shower  
for shower hoses with fitted  
conical end brackets  
with adjustable tilt angle 20-65°  
Projection: 97 mm



54941  
Exposed part for angle valve  
DN15/DN20  
complete with: handle, sleeve,  
rosette and adjustable extension  
(Angle valve DN 15/DN 20 to be  
ordered separately)



53971  
Single lever shower mixer  
concealed  
set suitable for Flexx Boxx EHM DN 20,  
complete with: handle, sleeve and rosette  
(Flexx Boxx EHM DN 20 to be ordered separately)



53980  
Hand shower  
with anti limescale device,  
Functions:  
• normal jet  
• soft jet  
• massage jet



54995  
Shower hose DN 15  
both ends fitted with conical nut  
1250, 1600, 2000 mm



53947  
Wall outlet for shower hose DN 15  
suitable for all concealed fittings

54985  
Hand shower sliding rail  
complete with:  
• rail, 800 mm  
• sliding bracket  
• spacer disc  
Height: 850 mm  
Projection: 67 mm

